



4.5.2 minutes of the meetings of the Maintenance

Archana

Registrar
King George Medical University
Lucknow

AS

Dean
Quality Control, Clinical Audit,
Accreditation & Future Planning

OFFICE OF THE REGISTRAR,
KING GEORGE'S MEDICAL UNIVERSITY UTTAR PRADESH, LUCKNOW

No. 2094 /GA & Property Section/2022

Dated:- 10-03-2022

Order

I have directed to inform you that In reference to this office Order No. 1574/ GA & Property Section/2021 dated 28.12.2021 as requested by Medical Superintendent, GM & AHs, King George's Medical University UP, Lucknow that to kindly also include Chief Medical Superintendent / Medical Superintendent/ deputy Medical Superintendent office in point no.(i) in the Domain of Administrative Block for smooth functioning of the CMS/MS/DMS office. The Hon'ble Vice Chancellor, King George's Medical University UP, Lucknow has been pleased to pass order for inclusion of Chief Medical Superintendent / Medical Superintendent/ deputy Medical Superintendent office as follows:-

	Domain	Domain Incharge	Designation/ department	Concerned Store
(i)	Administrative Block	Prof. Niraj Kumar Mishra Dr. Pavitra Rastogi	Prosthodontics deptt. Deputy Deputy Registrar	VC Office, Pro-VC Office Registrar Office, Finance Office, Chief Medical Superintendent / Medical Superintendent/ deputy Medical Superintendent

(Ashutosh Kumar Dwivedi)
Registrar

Distribution:-

Order Book

One copy to each member through their respective Head of the department/ Officers

No. 13642/GA & Property Section /2021 of dated

Copy forwarded to the following for information and favour necessary action:-

1. Dean, Faculty of Medicine/ Dental / Paramedical/ Nursing/ student welfare, KGMUUP, Lucknow
2. All Head of the Departments, KGMUUP, Lucknow.
3. Chief Medical Superintendent/ Medical Superintendent/Deputy Medical Superintendent, GM & AHS, KGMUUP, Lucknow.
4. Chief Medical Superintendent/ Medical Superintendent Trauma Centre, KGMUUP, Lucknow.
5. Finance Officer, KGMUUP, Lucknow.
6. Proctor, KGMUUP, Lucknow.
7. Controller of Examination, KGMUUP, Lucknow.
8. All Provosts of all Hostels, KGMUUP, Lucknow.
9. Deputy Registrar, KGMUUP, Lucknow.
10. Faculty Incharge, Centre Library, KGMUUP, Lucknow
11. Faculty Incharge I.T.Cell, KGMUUP, Lucknow.
12. Faculty Incharge Kalam Center, KGMUUP, Lucknow
13. All Section Incharge, Registrar Office, KGMUUP, Lucknow
14. Conered Officer, KGMUUP, Lucknow
15. Executive Engineer, Nirman/ Electric Department, KGMUUP, Lucknow
16. PS to Hon'ble Vice Chancellor.

(Ashutosh Kumar Dwivedi)
Registrar

Dated:- 24-03-22

Modified Order

I have directed to inform you that in reference to this office Order No. 1574/ GA & Property Section/2021 dated 28.12.2021 as directed by the Hon'ble Vice Chancellor to place the name of Dr. Suresh Kumar, Professor, General Surgery Department in place of Dr. R.K.Dixit, Professor, Pharmacology Department in point no.(f) in the Domain of Civil, Electrical Mechanical repair and maintenance for smooth functioning as follows:-

	Domain	Domain Incharge	Designation/ department	Concerned Store
(f)	Civil, Electrical Mechanical repair and maintenance	Dr. Suresh Kumar, Dr. Anjani Kr. Pathak Dr. Raja Rupani Shri Dinesh Raj Shri Virendra Dubey	Professor, General Surgery Department Asso.Prof. Periodontics Deptt. Associate Professor, Forensic Medicine Executive Engineer, Nirman Vibhag Junior Engineer, Electrical Vibhag	Central Engineering Store

The rest will be remaining same.

(Ashutosh Kumar Dwivedi)
Registrar

Distribution:-
Order Book

One copy to each member through their respective Head of the department/ Officers
No. 14231 /GA & Property Section /2022 of dated

- Copy forwarded to the following for information and favour necessary action:-
1. Dean, Faculty of Medicine/ Dental / Paramedical/ Nursing/ student welfare, KGMUUP, Lucknow
 2. All Head of the Departments, KGMUUP, Lucknow.
 3. Chief Medical Superintendent/ Medical Superintendent/Deputy Medical Superintendent, GM & AHS, KGMUUP, Lucknow.
 4. Chief Medical Superintendent/ Medical Superintendent Trauma Centre, KGMUUP, Lucknow.
 5. Finance Officer, KGMUUP, Lucknow.
 6. Proctor, KGMUUP, Lucknow.
 7. Controller of Examination, KGMUUP, Lucknow.
 8. All Provosts of all Hostels, KGMUUP, Lucknow.
 9. Deputy Registrar, KGMUUP, Lucknow.
 10. Faculty Incharge, Centre Library, KGMUUP, Lucknow
 11. Faculty Incharge I.T.Cell, KGMUUP, Lucknow.
 12. Faculty Incharge Kalam Center, KGMUUP, Lucknow
 13. All Section Incharge, Registrar Office, KGMUUP, Lucknow
 14. Conered Officer, KGMUUP, Lucknow
 15. Executive Engineer, Nirman/ Electric Department, KGMUUP, Lucknow
 16. PS to Hon'ble Vice Chancellor.

(Ashutosh Kumar Dwivedi)
Registrar

OFFICE OF THE REGISTRAR,
KING GEORGE'S MEDICAL UNIVERSITY UTTAR PRADESH, LUCKNOW

No. 1157 /GA & Property Section/2022

Dated:- 27-04-2022

Modified Order

I have directed to inform you that in reference to this office Order No. 1574/ GA & Property Section/2021 dated 28.12.2021 as directed by the Hon'ble Vice Chancellor to place the name of Dr. Sanjay Khattri, Professor, Pharmacology Department and Dr. Satyendra Kumar Singh, Associate Professor (N.M.) Department of Centre for Advance Research in place of Dr. Anupam Mishra HOD ENT and Dr. Anil Nishchal, Professor, Psychiatry Department in point no.(c) in the Domain of Stationary for smooth functioning as follows:-

	Domain	Domain Incharge	Designation/ department	Concerned Store
(c)	Stationary	Dr. Sanjay Khattri,	Professor, Pharmacology Department	Central
		Dr. Satyendra Kumar Singh,	Associate Professor (N.M.) Department of Centre for Advance Research	Miscellaneous Store

The rest will be remaining same.

(Ashutosh Kumar Dwivedi)
Registrar

Distribution:-

Order Book

One copy to each member through their respective Head of the department/ Officers

No. 1152 /GA & Property Section /2022 of dated

Copy forwarded to the following for information and favour necessary action:-

1. Dean, Faculty of Medicine/ Dental / Paramedical/ Nursing/ student welfare, KGMUUP, Lucknow
2. All Head of the Departments, KGMUUP, Lucknow.
3. Chief Medical Superintendent/ Medical Superintendent/Deputy Medical Superintendent, GM & AHS, KGMUUP, Lucknow.
4. Chief Medical Superintendent/ Medical Superintendent Trauma Centre, KGMUUP, Lucknow.
5. Finance Officer, KGMUUP, Lucknow.
6. Proctor, KGMUUP, Lucknow.
7. Controller of Examination, KGMUUP, Lucknow.
8. All Provosts of all Hostels, KGMUUP, Lucknow.
9. Deputy Registrar, KGMUUP, Lucknow.
10. Faculty Incharge, Centre Library, KGMUUP, Lucknow
11. Faculty Incharge I.T.Cell, KGMUUP, Lucknow.
12. Faculty Incharge Kalam Center, KGMUUP, Lucknow
13. All Section Incharge, Registrar Office, KGMUUP, Lucknow
14. Conered Officer, KGMUUP, Lucknow
15. Executive Engineer, Nirman/ Electric Department, KGMUUP, Lucknow
16. PS to Hon'ble Vice Chancellor.

(Ashutosh Kumar Dwivedi)
Registrar

N-1

Dis: 26
Date: 21/09/2024
Nirman Vibhag (Civil Section)
K.G.M.U., U.P., Lucknow

अधिकासी अभियन्ता/अधीक्षण अभियन्ता/कुलसचिव

कृपया प्रो० निशा सिंह, प्रोवोस्ट, लेडी रेजीडेंट छात्रावास, के०जी०एम०यू० के कार्यालय पत्रांक 1377/24 दिनांक 12.08.2024 द्वारा अवगत कराया गया है कि लेडी रेजीडेंट छात्रावास के एन०सी०एल०आर०एच० भवन के बाहरी एवं आन्तरिक भाग की मरम्मत तथा पेन्टिंग करवाये जाने एवं ग्राउण्ड फ्लोर पर स्थित किचन, डायनिंग एरिया, गैलरी, ऑफिस, वार्डेन कक्ष, रीडिंग रूम व ग्राउण्ड फ्लोर के बाथरूम में टाइल्स लगवाये जाने का अनुरोध किया गया है। कक्षों की खराब खिड़कियों की रिपेयरिंग, खिड़कियों के टूटे हुये कॉच एवं जालियों को बदल जाने तथा विभिन्न कक्षों के खराब दरवाजों, वार्ड रोब के दरवाजों, बाथरूम व बालकनी के दरवाजों की मरम्मत एवं सड़े हुये दरवाजों को बदले जाने की आवश्यकता है। उपरोक्त के क्रम में आगणन में निम्न कार्यों को सम्मिलित किया गया है:-

1. भवन की आन्तरिक (53 कमरों), कारीडोर एवं वाहय दीवारों की मरम्मत एवं पेन्टिंग का प्राविधान।
2. हास्टल के ग्राउण्ड फ्लोर के कमरों की फर्श में टाइल्स लगाये जाने के कार्य का प्राविधान।
3. खिड़कियों के टूटे हुये शीशों/जालियों को बदले जाने के कार्य का प्राविधान।
4. बाथरूम की खराब सेनेटरी फिटिंग्स को बदले जाने के कार्य का प्राविधान।
5. किचन की फर्श में कोटा फ्लोरिंग टाइल्स व डायनिंग हाल में टाइल्स लगाये जाने के कार्य का प्राविधान।
6. कमरों एवं शौचालय में टूटे हुये दरवाजों को बदलवाने के कार्य का प्राविधान।
7. बन्दरों के रोकथाम हेतु बालकनी में स्विस् वेल्डेड जाली लगाये जाने के कार्य का प्राविधान।
8. किचन तथा सीवर के पानी की निकासी हेतु की पाइप लाइन डालने के कार्य का प्राविधान।

उपरोक्त समस्त कार्यों को सम्मिलित करते हुये आगणन की कुल अनुमानित लागत समस्त करों सहित रु० 4818642.00 है। उक्त आगणन ए०आर०सी० एग्रीमेन्ट के अन्तर्गत Schedule of rates of CPWD DSR (Civil)-2023 and DAR (Civil)-2023 as notified by UPPWD circular no 272/CAMP/MUKHYA ABHIYANTA(Bhawan)/2023 dated 10.10.2023 and UPPWD circular no 294/CAMP/MUKHYA ABHIYANTA(Bhawan)/ 2023 dated 26.10.2023 and non-scheduled items rate(as attached in annexure-V) के आधार पर तैयार किया गया है। प्राविधानित कार्य अन्य किसी आगणन में सम्मिलित नही किये गये हैं। अतः कार्य ARC Agreement के अन्तर्गत प्रयोज्य दरों के अनुसार करवाया जायेगा।

अनुमोदनार्थ प्रस्तुत।

(सुमित कौजिया)
अवर अभियन्ता(सि०)

(यशवंत सिंह)
सहायक अभियन्ता(सि०)

(अनुपम मिश्रा)
अधिकासी अभियन्ता(सि०)

(दिनेश कुमार राज)
अधीक्षण अभियन्ता(सि०)

विभागाध्यक्ष/प्रोवोस्ट

मा० कुलपति जी द्वारा नामित सदस्य

Provost,
Lady Resident Hostel
King George's Medical University,
Uttar Pradesh, Lucknow

Recommended for
appx. of Rs 4818642.00
for NC LRH for
minor repair

Dr. Deep Srivastava
Associate Professor
Department of Hospital Administration
KGMU, Lucknow

REGISTRAR
King George's Medical University, Uttar Pradesh
LUCKNOW

Finance Officer
K.G.'s Medical University, U.P.
LUCKNOW.

AN
05.10.2024
VICE Chancellor
King George's Medical University U.P.
Lucknow

15/09/2024

16/9/24



किंग जार्ज चिकित्सा विश्वविद्यालय उ०प्र०, लखनऊ- 226003

निर्माण विभाग (सिविल सेव न)

फोन (कुलसचिव कार्यालय) : 0522-2257540 ई-मेल : eng.civil@kgmcindia.edu

पत्रांक: 82

ARC/3/24

कायदेश

दिनांक: 20/11/2024

सेवा में,

M/s Manorama Interior Decorators
610/447, Keshav Nagar,
Lucknow

Name of work: Repairing and painting for (all rooms), mess, gym area, reading room, outer wall building, floor repairing back side of mess flooring repairing, drain & chamber at (NCLRH) Hostel at KGMU.

Ref: A.R.C Agreement No.03/KGMU/civil maintenance 2024 dt. 01.08.2024

महोदय,

उपरोक्त विषयक ए०आर०सी० अनुबन्ध के अन्तर्गत मा० कुलपति जी के अनुमोदनोपरान्त के०जी०एम०यू० में Repairing and painting for (all rooms), mess, gym area, reading room, outer wall building, floor repairing back side of mess flooring repairing, drain & chamber at (NCLRH) Hostel at KGMU के अन्तर्गत निम्नलिखित कार्य कराये जाने का आदेश दिया जाता है:-

Sl.No.	Particulars	Qty	Unit	Rate	Amount
1	Earth work in surface excavation not exceeding 30cm in depth but exceeding 1.5 in width as well as 10 sqm on plan including getting out and disposal of excavated earth upto 50 m and lift upto 1.5 as directed by engineer in charge 2.1.1 all kinds of soil 0 to 0.30m.	11.09	Cum	140.21	1554.93
2	Dismantling doors and windows with chaukhats excluding hold fast including stacking of dismantled material within 50 metres lead of area of 3 sq. metres and below as directed by Engineer-in-charge.	90.00	Nos.	290.07	26106.30
3	Dismantling of Existing old plaster.	535.62	Sqm	43.17	23122.72
4	Dismantling cement concrete or granolithic floors, including stacking of dismantling materials as per direction by the E/I.	12.90	Sqm	1922.94	24805.93
5	R.C.C. Slab in 1:1½:3 cement C-Sand stone aggregate.	0.76	Cum	9088.80	6907.49
6	Mild Steel work 10/12mm dia as for reinforcement.	88.50	Kg	85.19	7539.32
7	P/L P.C.C. 1:5:10 cement, fine sand and 40mm brick ballast in foundation.	10.32	Cum	5149.38	53141.60
8	C.C. work in 1:2:4 cement C-Sand stone aggregate.	6.45	Cum	6223.65	40142.54
9	M-150 class 230mm thick brick work in 1:4 cement & coarse sand in super structure including supply of all materials, labours and T&P etc for proper completion of the work.	4.07	Cum	7381.60	30043.11
10	M-150 class 120mm thick brick work in 1:4 cement & coarse sand in super structure including supply of all materials, labours and T&P etc for proper completion of the work.	34.97	Sqm	908.45	31768.50
11	12mm thick plaster 1:6 cement C-Sand on wall with cement and coarse sand including supply of all material labor and T&P etc. for proper completion of the work.	450.99	Sqm	271.47	122430.26
12	12mm thick plaster 1:4 cement C-Sand on wall with cement and coarse sand including supply of all material labor and T&P etc. for proper completion of the work.	80.64	Sqm	282.29	22763.87
13	Kota Stone Slab flooring over 20mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab, including rubbing and polishing complete with base of cement mortar 1:4(1 cement : 4 coarse sand) 25mm thick	68.60	Sqm	1539.03	105577.46
14	Fabrication of M.S. frame with M.S. angles for descon door/window.	755.58	Kg	136.34	103015.78
15	Mirror polishing on marble work / Granite work / stone work where ever required to give high gloss finish complete.	142.14	Sqm	400.26	56892.96
16	P/L vitrified floor tiles in size 600x600mm with water absorption less then 0.08% and confirming to IS: 15622 of approved make in all colours and sheds, laid with cement based high polymer modified quick set tile adhesive etc. complete.	258.96	Sqm	1362.95	352949.53
17	P/L kajaria or equivalent wall tiles in size 300x600mm with water absorption less then 0.08% and confirming to IS: 15622 of approved make in all colours and sheds, laid on 20mm thick cement mortar in 1:3 cement coarse sand including grouting of joints with white cement and matching pigment etc. complete.	150.72	Sqm	1001.62	150964.17
18	P/L wall tiles 200x300mm with water absorption less then 0.08% and confirming to IS: 15622 of approved make in all colours and sheds, laid on 12mm thick cement mortar in 1:3 cement coarse sand including grouting of joints with white cement and matching pigment.	37.80	Sqm	852.00	32205.60

M

किंग जार्ज चिकित्सा विश्वविद्यालय उ०प्र०, लखनऊ- 226003

निर्माण विभाग (सिविल सेक्शन)

फोन (कुलसचिव कार्यालय) : 0522-2257540 ई-मेल : eng.civil@kgmcindia.edu

पत्रांक:...../.....

दिनांक:...../...../.....

19	P/F double scaffolding system (cup lock type) on the exterior side of building/structure, upto 25 metre height, above ground level, including additional rows of scaffolding in stepped manner as per requirement of site, made with 40mm dia. M.S Tube placed 1.5 metre center to center, horizontal and vertical tubes joint with cup and lock system with M.S Tubes, M.S Tubes chalis, M.S clamps and staircase system in the scaffolding for working platform etc. and maintaining it in a serviceable condition for execution of work of cleaning and/or pointing and/or applying chemical and removing it thereafter. The scaffolding system shall be stiffened with bracings, runners, connecting with the building etc, wherever required, if feasible for inspection of work at required locations with essential safety features for the workmen etc. complete as per directions and approval of Engineer-in-charge.	230.81	Sqm	267.20	61672.43
20	Providing and laying Polished Granite stone flooring in required design and patterns, in linear as well as curvilinear portions of the building all complete as per the architectural drawings with 18 mm thick stone slab over 20 mm (average) thick base of cement mortar 1:4 (1 cement : 4 coarse sand) laid and jointed with cement slurry and pointing with white cement slurry admixed with pigment of matching shade including rubbing, curing and polishing etc. all complete as specified and as directed by the Engineer-in-Charge. 11.56.1 Polished Granite stone slab jet Black, Cherry Red, Elite Brown, Cat Eye or equivalent.	6.56	Sqm	4057.44	26616.81
21	40mm thick flooring 1:2:4 cement C-sand stone Aggregate of with floating coat of neat cement.	45.60	Sqm	485.19	22124.66
22	S/F C.I. plain bend 100mm dia.	12.00	No.	450.31	5403.72
23	S/F of Hepco H.C.I. pipe including fitting 100mm dia.	240.51	Rmt.	923.69	222156.68
24	P/F of G.I. pipe 15mm dia. complete with fittings 'B' class.	30.87	Rmt.	289.43	8934.70
25	P/L non pressure NP-2 class (light duty) R.C.C. pipes 250mm dia with collars jointed with stiff mixture of cement mortar in the proportion of 1:2 (1 cement: 2 fine sand) including testing of joints complete.	30.81	Rmt.	710.80	21899.75
26	P/F PVC pipe 100mm dia 6kg pressure ISI make	8.50	Rmt.	650.00	5525.00
27	P/F PVC pipe 150mm dia 6kg pressure ISI make	10.40	Rmt.	1310.00	13624.00
28	S/F C.I. Door bend 100mm dia.	36.00	No.	472.39	17006.04
29	S/F C.I. Collar socket 100mm dia.	37.00	Nos.	405.36	14998.32
30	Scrapping old white or coloured wash etc including disposal of refuse material as directed by Engineer in charge	5470.03	Sqm	19.87	108689.50
31	P/L of Birla white putty for making good smooth surface.	3504.36	Sqm	53.00	185731.08
32	Distempering with oil bound distemper two coat of approved brand on old surface to give an even shade including all material, labour T&P etc. complete.	6133.48	Sqm	85.57	524841.88
33	P/L white cement based putty of avg. thickness 1mm of approved brand on new surface.	450.99	Sqm	123.27	55593.54
34	Applying one coat of water thinnable cement prima of approved brand on new wall surface.	450.99	Sqm	58.42	26346.84
35	Application of two coat Apex. Ultima paint of Approved Brand on old Surface Given an even Shade including supply of all material, labour T&P as required for proper completion of work.	1850.66	Sqm	176.63	326882.08
36	Enamel painting in two coat	611.87	Sqm	178.73	109359.53
37	P/F swiss welded mesh 1" x 1" 10 gauge with 20x5mm flat iron beading including all material labour T&P complete.	427.73	Sqm	892.00	381535.16
38	P/F factory made single extruded WPC (Wood polymer Composite) flush door shutter 25mm thick one side white color and other side of board laminated with PVC foil of minimum 14 micron thickness of approved design pasted with hot melt adhesive of required size with single extruded WPC (Wood Polymer Composite) solid door/ window / celerstory windows & other frames chaukhat of size 45x70mm comprising of virgin PVC polymer, including s.s. hinges 100mm long, aluminium sliding door bolt, aluminium tower bolt, and filling the gap with silicon sealant all complete as per direction of Engineer-in-charge.	42.49	Sqm	6535.47	277692.12
39	P/F of Flush door non decorative type, core of blackboard construction with frame of 1" class hardwood and well matched teak 3ply. 32mm. thickness water proof complete etc.	109.44	Sqm	1715.86	187783.72
40	Fly proof stainless steel grade 304 wire gauze with 0.5mm dia.wire and 1.4mm wide aperture with matching wood beadings.	33.00	Sqm	1422.27	46934.91
41	P/F Float glass panes of 5mm thick in aluminum work for doors, windows, ventilators shutters and partitions etc. with EPDM rubber /neoprene gasket etc. complete as per the directions of engineer-in-charge.	35.25	Sqm	1189.06	41914.37
42	P/F concertina coil fencing with punched tape concertina coil 600 mm dia and 10 m openable length (total 90m), having 50m rounds per 6m length, upto 3m height of wall with existing angle Y shaped placed 2.4m to 3m apart and with 9 horizontal R.B.T reinforced barbed wire, stud tied wit G.I. staples G.I clips to retain horizontal, including necessary bolts, or G.I. barbed wire tied to angle iron, all	12.50	Rmt.	296.86	3710.75

A

किंग जार्ज चिकित्सा विश्वविद्यालय उ०प्र०, लखनऊ- 226003

निर्माण विभाग (सिविल सेव न)

फोन (कुलसचिव कार्यालय) : 0522-2257540 ई-मेल : eng.civil@kgmcindia.edu

पत्रांक:..... /

दिनांक:..... / .. /

1

	complete as per direction of engineer-in-charge, with reinforced barbed tape(R.B.T) / spring core (2.5mm thick) wire of high tensile strength of 165 kg/sq.mm with tape (0.52mm thick) and weight 43.478gm/metre (cost of M.S. angle, C.C. blocks shall be paid separately)				
43	P/F tower bolt 250mm long of ISI marked.	120.00	Nos.	90.96	10915.20
44	P/F aluminum sliding bolt with 16mm dia. and 300 mm long. ISI marked.	60.00	Nos.	102.77	6166.20
45	S/F of S.S. hinges 100mm long.	180.00	Nos.	84.60	15228.00
46	S/F of Orissa pan 580mm dia with C.I. trap.	6.00	Nos.	3538.00	21228.00
47	S/F of C.P. Angle Valve 15mm dia make of jaguar or equivalent.	8.00	Nos.	453.67	3629.36
48	P/F of wash basin heavy quality make of approved brand with pillar cock, bracket, PVC connection, waste pipe etc. complete.	4.00	No.	2092.46	8369.84
49	Providing and fixing P.V.C. Connection 600mm long.	12.00	Nos.	94.04	1128.48
50	P/f of 10 lit P.V.C. low down cistern for appd. quality in completed.	15.00	Nos.	5345.92	80188.80
51	Providing and fixing PVC Pillar cock 15mm dia.	3.00	Nos.	177.03	531.09
52	Providing and fixing of C.P. short body bib cock 15mm dia make of plumber.	5.00	Nos.	648.31	3241.55
53	Providing welder with welding machine for repairing and refixing of m.s. windows complete.	8.00	Nos.	640.00	5120.00
54	Cartage for disposal of malwa upto 10 km away from the site.	12.20	Cum	257.20	3137.84
55	Providing labour for cleansing of site and collecting malwa.	20.00	Nos.	325.00	6500.00
	Total			(-)	90410.76
	Less Discount @ 2.23% as per ARC agreement				3963883.22
	Grand Total				3963883.00
	Say				
	In Words : Thirty Nine Lac Sixty Three Thousand Eight Hundred Eighty Three + GST and Labour Cess Extra				

नियम एवं शर्तें

- कार्यादेश प्राप्त होने से 04 माह के अन्दर कार्य पूर्ण करना होगा।
- समस्त कार्य उ०प्र० लोक निर्माण विभाग की विशिष्टियों/मानकों के अनुसार कराये जायेंगे।
- कार्यों में ली गयी मात्राएं अनुमानित है, जो घट या बढ़ सकती है। कार्यहित में मदों (Item) में परिवर्तन भी हो सकता है।
- जी०एस०टी० एवं अन्य टैक्स नियमानुसार प्रभावी होंगे।

भवदीय,

(अनुपम मिश्रा)
अधिशाली अभियन्ता

(दिनेश कुमार राज)
अधीक्षण अभियन्ता

क्रमांक

82/ARC/03/24

दिनांक

प्रतिलिपि निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित:

- वित्त अधिकारी, किंग जार्ज चिकित्सा विश्वविद्यालय, उ०प्र०, लखनऊ।
- प्रोवोस्ट, लेडी रेजीडेन्ट छात्रावास, किंग जार्ज चिकित्सा विश्वविद्यालय, उ०प्र०, लखनऊ।
- श्री यशवंत सिंह, सहायक अभियन्ता, निर्माण विभाग, किंग जार्ज चिकित्सा विश्वविद्यालय, उ०प्र०, लखनऊ।
- श्री सुमित कनौजिया, अवर अभियन्ता(सिविल), निर्माण विभाग, किंग जार्ज चिकित्सा विश्वविद्यालय, उ०प्र०, लखनऊ।

(अनुपम मिश्रा)
अधिशाली अभियन्ता

(दिनेश कुमार राज)
अधीक्षण अभियन्ता

अधीशासी अभियन्ता/अधीक्षण अभियन्ता/कुलसचिव,

कृपया पत्रावली में दायी ओर पताका "क" पर रक्षित मा० कुलपति जी को सम्बोधित मा० के०के० सिंह, प्रोफेसर, सर्जरी (जनरल) विभाग, के०जी०एम०यू० के पत्र दिनांक 05.08.2024 का अवलोकन करने की कृपा करें, जो मा० कुलपति जी एवं कुलसचिव, के०जी०एम०यू० द्वारा दिनांक 06.08.2024 द्वारा अधीक्षण अभियन्ता(सिविल) आवश्यक कार्य हेतु निर्देशित किया गया है।

उक्त पत्र में उल्लिखित समस्याओं के क्रम में गिरीक्षणोपरान्त अवगत कराना है कि हारटल की बाउण्ड्रीवाल छोटी होने के कारण असुरक्षित है एवं ट्रामा की तरफ की बाउण्ड्रीवाल को नया बनाये जाने की आवश्यकता है। बिल्डिंग के चारों तरफ भवन का एप्रेन टूट गया है, जिसे पानी का सीपेज दीवारों में होता है। भवन के प्रवेश द्वार पर बरसात के समय में अक्सर पानी भर जाता है जिससे पाथ-वे न बने होने के कारण छात्राओं को संदर्भित भवन में आने-जाने में असुविधा का सामना करना पड़ता है। अतः कार्य की आवश्यकता को देखते हुए उपरोक्त कार्यों का आगणन तैयार किया गया है। आगणन में निम्न कार्यों का प्राविधान किया गया है:-

- 1- ट्रामा की तरफ नई बाउण्ड्रीवाल का कार्य एवं पुरानी बाउण्ड्रीवाल को ऊँचा किये जाने का कार्य का प्राविधान।
- 2- बाउण्ड्रीवाल पर concertina wire लगाये जाने का कार्य का प्राविधान।
- 3- भवन के चारों ओर पुराने एप्रेन को तोड़कर उसके स्थान पर एप्रेन बनाये जाने के कार्य का प्राविधान।
- 4- भवन के मुख्य द्वार से हारटल तक इण्टरलॉकिंग लगाये जाने के कार्य का प्राविधान।
- 5- भवन की सुरक्षा हेतु गार्ड रूम के साथ शौचालय बनाये जाने के कार्य का प्राविधान।
- 6- हास्टल में अध्यासित छात्राओं हेतु मेस बनाये जाने के कार्य का प्राविधान।

उपरोक्त समस्त कार्यों को सम्मिलित करते हुए आगणन की कुल अनुमानित लागत समस्त करों सहित रु० 3287905.00 (रु० बत्तीस लाख सत्तासी हजार नौ सौ पाँच मात्र) है। उक्त आगणन ए०सी०आर० एपीमेन्ट के अन्तर्गत Schedule of rates of CPWD DSR (Civil)-2023 and DAR (Civil)-2023 as notified by UPPWD circular no 272/CAMP/MUKHYA ABHIYANTA (Bhawan)/2023 dated 10.10.2023 and UPPWD circular no. 294/CAMP/MUKHYA ABHIYANTA(Bhawan)/2023 dated 26.10.2023 and non-scheduled itmes rate (as attached in annexure-V) के आधार पर तैयार किया गया है। प्राविधानित कार्य अन्य किसी आगणन में सम्मिलित नहीं किये गये हैं। उक्त काम ARC Agreement के अन्तर्गत में मिस Bhabat-Enkr के अन्तर्गत से कराने की आवश्यकता है। अनुमोदनार्थ प्रस्तुत।

(प्रतीक दुबे)
अवर अभियन्ता(सि०)

(अंजनी कुमार)
सहायक अभियन्ता(सि०)

(सुरेश कुमार)
अधीशासी अभियन्ता(सि०)

(दिनेश कुमार)
अधीक्षण अभियन्ता

सम्बन्धित प्रोवोस्ट/विभागाध्यक्ष

Recommended for
मा० कुलपति जी द्वारा नामित सदस्य
approval of Rs 3287905.00
for concertina wire on
boundary of Bhawan Canteen

Despatch No.

Date

Signature

Designation

Date

Signature

Designation

Date

Signature

Designation

Date

Signature

Designation

Date

Signature

Designation

Date

18
27-8-24

Final Bill
MBN-245
BRL No 122-180

REGISTRAR
George's Medical University, Uttar Pradesh
LUCKNOW

27-8-24
Finance Officer
K.G. Medical University
LUCKNOW



किंग जार्ज चिकित्सा विश्वविद्यालय उ०प्र०, लखनऊ- 226003

निर्माण विभाग (सिविल सेवकान)

फोन (कुलसचिव कार्यालय) : 0522-2257540 ई-मेल : eng.civil@kgmcindia.edu

पत्रांक: 66

39/2024-25
APC/01/24

दिनांक: 12/11/24

सेवा में,

Bharat Enterprises

C-901, Rohtas Plumeria, Vibhuti Khand

Gomti Nagar, Lucknow

Name of work: New Construction of boundary wall and Dinning area & Raising of old boundary wall, , P/L of Interlocking tiles, Repairing of Apron and miscellaneous work at Midwifery hostel, KGMU.

Ref: A.R.C Agreement No.01/KGMU/civil maintenance 2024 dt. 01.08.2024

महोदय,

उपरोक्त विषयक ए०आर०सी० अनुबन्ध के अन्तर्गत मा० कुलपति जी के अनुमोदनोपरान्त के०जी०एम०यू० में New Construction of boundary wall and Dinning area & Raising of old boundary wall, , P/L of Interlocking tiles, Repairing of Apron and miscellaneous work at Midwifery hostel, KGMU. के अन्तर्गत निम्नलिखित कार्य कराये जाने का आदेश दिया जाता है:-

Sl.No.	Particulars	Qty	Unit	Rate	Amount
1.	Dismantling Stone slab flooring including base concrete and including stacking of dismantled material as directed by the engineer in charge with in a distance of 50mtr.	100.13	Sqm	210.48	21075.36
2.	Dismantling sundried brickwork including stacking of dismantle material as directed by engineer in charge with in a distance of 50mtr .	0.32	Cum	1627.46	520.78
3.	Dismantling existing plaster including disposal of refuse as directed by the engineer- in- charge with in a distance of 60mtr (200 ft).	265.51	Sqm	43.17	11462.07
4.	Brick work with common burnt clay (non modular) bricks of class-150 in superstructure above plinth level up to floor 5 level in all stage and size in: Cement mortar 1:6 (1 cement : 4 coarse sand).	57.29	Cum	7381.59	422891.30
5.	P/L of Damp proof course 50mm thick with cement concrete 1:2:4 (1 cement: 2 coarse sand: 4 graded stone 20mm aggregate).	8.52	Sqm	391.62	3336.61
6.	Half brick masonry with common burnt clay brick class 150 in superstructure above plint level upto floor 5 th level. Cement mortar 1:3 (1 cement: 3 coarse sand)	232.56	Sqm	908.84	211359.80
7.	12mm cement plaster of mix 1:4 (1 cement : 4 coarse sand)	679.51	sqm	282.29	191818.90
8.	Cement plaster 1:3 (1 cement : 3 coarse sand) finished with a floating coat of neat cement 12mm cement plaster.	1.29	Sqm	355.13	458.12
9.	1:4:8 (1cement:4 manufactured sand derived from recycled concrete aggregate (RCA) :8 graded stone aggregate 40mm nominal size recycled aggregate.	30.33	Cum	4109.54	124642.30
10.	Providing and laying in cement concrete of specified grade : 1:1.5:3 (1 cement : 1.5 coarse sand : 3 graded stone aggregate 20mm upto plinth level complete in all respect.	11.40	Cum	6588.88	75113.23

Sanjay K. Singh



किंग जार्ज चिकित्सा विश्वविद्यालय उ०प्र०, लखनऊ- 226003
निर्माण विभाग (सिविल सेवकान)

A-49

फोन (कुलसचिव कार्यालय) : 0522-2257540 ई-मेल : eng.civil@kgmcindia.edu

पत्रांक:...../...../.....

दिनांक:...../...../.....

11.	Providing and laying in cement concrete of specified grade : 1:1.5:3 (1 cement : 1.5 coarse sand : 3 graded stone aggregate 20mm upto 5 th floor level complete in all respect.	2.65	Cum	8181.98	21682.25
12.	Providing and laying of interlocking concrete block pavement having thickness 80mm.	107.13	Sqm	980.00	104987.40
13.	Steel reinforcement for RCC including, straightening, cutting bending, placing in position and binding all complete upto plinth level. Mild steel and medium tensile steel bar.	1097.60	kg	84.61	92867.94
14.	Cement concrete flooring 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate) finished with a floating coat of neat cement including cement slurry, but excluding the cost of nosing of steps etc complete. 40mm thick with 20mm nominal size stone aggregate.	183.25	Sqm	485.19	88911.07
15.	Providing and fixing 1mm thick MS sheet door with frame of 40x40x6 mm angle iron and 3mm MS gusset plate at junctions and corner all necessary fittings complete including applying a primer coat of approved steel primer.	2.05	Sqm	4585.16	9399.58
16.	Providing and fixing ISI marked flush door shutters conforming to IS: 2202 non decorative type, core of block board construction with frame at 1 st class hard wood and well matched commercial 3 ply veneers on both faces of shutters: 30mm thick including ISI marked nickel plated bright finished MS piano hinges with necessary screws	3.78	Sqm	2502.53	9459.56
17.	Providing wood work in frames of door, window clerestory windows and other frames with fastner including cost of material ; Labour, T&P complete in all respect.	0.27	Cum	92045.59	24852.31
18.	Providing and laying Polished granite stone floor in required design and pattern, in linear as well as curvilinear portion of the building all complete as per the architectural drawing with 18 mm thick stone slab over 20mm(average) thick base of cement mortar 1:4 9 1 cement : 4 coarse sand) laid and jointed with cement slurry and pointing with white cement slurry admixed with pigment of matching shade including rubbing, curing and polishing etc all comp. as per specified and as directed by the Engineer in charge.	12.02	Sqm	3540.02	42551.04
19.	P/L Vittrified wall tiles in size 300x600mm with water absorption less then 0.08% and conforming to IS: 15622 of approved make in all colours and sheds , laid on 20mm thick cement mortar in 1:3 cement coarse sand including grouting of joints with white cement and matching pigment etc. complete.	89.85	Sqm	1136.00	102069.60

Sandy K...



किंग जार्ज चिकित्सा विश्वविद्यालय उ०प्र०, लखनऊ- 226003

निर्माण विभाग (सिविल सेवकान)

फोन (कुलसचिव कार्यालय) : 0522-2257540 ई-मेल : eng.civil@kgmcindia.edu

A-48

पत्रांक:...../

दिनांक:...../...../.....

20.	P/L ceramic floor tiles in size 300x300mm with water absorption less than 0.08% and conforming to IS: 15622 of approved make in all colours and shades, laid on 20mm thick cement mortar in 1:4 cement coarse sand including grouting of joints with white cement and matching pigment etc. complete.	2.25	Sqm	866.23	1949.02
21.	P/L vitrified floor tiles in size 600x600mm with water absorption less than 0.08% and conforming to IS: 15622 of approved make in all colours and shades, laid on 20mm thick cement mortar in 1:4 cement coarse sand including grouting of joints with white cement and matching pigment etc. complete.	100.46	Sqm	1227.15	123279.50
22.	Steel work welded in built up section/ framed work including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc as required in grating, frames, guard bar, ladder, railing, bracket, gates and similar work.(35x35x5)mm	1336.88	KG	136.35	182283.60
23.	P/F of concertina coil fencing with punched tape concertina coil 600mm dia 10metre openable length having 50rounds per 6metre length, upto 3m height of wall with existing angle iron y shaped placed 2.4m or 3mtr apart and with 9 horizontal RBT reinforced barbed wire including cost of material labour, T&P, complete in all respect.	89.30	Rmt	296.86	26509.60
24.	P/L Anodised aluminium work for doors, windows and ventilators with extruded built up standard tabular section/ appropriate Z section and other section of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junction i.e. at top, bottom and sides with required EPDM rubber/neoprene gasket etc.	218.70	KG	472.86	103414.50
25.	P/F anodized aluminum grill with stainless steel wire gauge including all labour, material T&P etc up to proper completion of the work	24.30	Sqm	1965.00	47749.50
26.	P/F 4mm thick ACP sheet in aluminum work for doors, windows, ventilators shutter and partitions etc with EPDM rubber neoprene gasket etc complete as per the architectural drawing and the direction of engineer-in-charge.	1.78	Sqm	1060.00	1886.80
27.	P/F 5mm thick Glass panes in aluminum work for doors, windows, ventilators shutter and partitions etc with EPDM rubber neoprene gasket etc complete as per the architectural drawing and the direction of engineer-in-charge.	11.88	Sqm	1189.07	14126.15
28.	Providing and fixing CPVC pipes. This includes jointing of pipes and fitting with one step CPVC solvent cement and testing of joints complete as per direction of engineer in charge concealed work including cutting chases and making good the wall etc. 20mm nominal outer dia pipes	60.00	Rmt	264.64	15878.40

Signature



किंग जार्ज चिकित्सा विश्वविद्यालय उ०प्र०, लखनऊ- 226003

निर्माण विभाग (सिविल सेवकान)

A-47

फोन (कुलसचिव कार्यालय) : 0522-2257540 ई-मेल : eng.civil@kgmcindia.edu

पत्रांक:..... /

दिनांक:..... / .. / ..

29.	Providing and fixing CPVC pipes. This includes jointing of pipes and fitting with one step CPVC solvent cement and testing of joints complete as per direction of engineer in charge concealed work including cutting chases and making good the wall etc. 2mm nominal outer dia pipes.	60.00	Rmt	409.78	24586.80
30.	Providing and placing on terrace (at all floor) PVC water storage tank IS 12701 marked , with cover and suitable locking arrangement and making necessary holes for inlet , outlet and overflow pipes but without fittings and the base for tank .	2000.00	Ltr	8.69	17380.00
31.	Applying one coat of water thinnable cement primer of approved brand and manufacture on wall surface.	679.51	Sqm	58.41	39690.18
32.	Providing and applying white cement based putty of average thickness 1mm of approved brand and manufacture, over the plastered wall surface to prepare the surface even and smooth complete.	679.51	Sqm	123.27	83763.20
33.	Finishing walls with premium acrylic smooth exterior paint with silicone additives of required shade old work (two or more coats applied @ 1.43 ltr/10 sqm) over existing cement paint surface (apex ultima , weather coat all guard).	559.65	Sqm	108.57	60761.20
34.	Oil bound distemper in Two coat	119.86	Sqm	85.57	10256.42
35.	Enamel painting in two coat .	23.60	Sqm	81.21	1916.56
36.	Providing and fixing CP brass bib cock of approved quality and colour. 15mm nominal bore,	3	Nos	279.05	837.15
37.	S/F C.I Nahani trap 100mm dia HEPSCO make.	6	Nos	510.00	3060.00
38.	P/F of 100mm CI bend including cost of material , Labour, T&P complete in all respect.	4	Nos	450.32	1801.28
39.	P/F of 100mm CI collar socket including cost of material , Labour, T&P complete in all respect.	17	Nos	405.36	6891.12
40.	P/F of P trap make including cost of material, labour ,T&P complete in all respect.	1	Nos	1133.00	1133.00
41.	P/F of 100mm CI pipe Hepco make including cost of material, labour ,T&P complete in all respect.	27.45	Rmt	923.69	25355.29
42.	providing and fixing of PVC pipe 100mm with all fitting with 6kg pressure ISI mark.	60.00	Rmt	650.00	39000.00
43.	P/L Orissa pan seat Indian type of size 580x440mm including Dismantling of old seat ,cost of material, labour, T&P complete in all respect.	1	Nos	2503.41	2503.41
44.	Providing and fixing PVC waste pipe for sink or wash basin including PVC waste fitting complete 32mm dia /40mm dia	5	Nos	82.07	410.35
45.	15 mm dia PVC Connection pipe 450mm long with two brass units.	5	Nos	77.22	386.10
46.	CP jali heavy quality	5	Nos	79.00	395.00
47.	S/F 10 lit PVC low down cistern for appd. Quality in complete.	1	Nos	940.56	940.56

Sushil Kumar



किंग जार्ज चिकित्सा विश्वविद्यालय उ०प्र०, लखनऊ- 226003
निर्माण विभाग (सिविल सेक्शन)

फोन (कुलसचिव कार्यालय) : 0522-2257540 ई-मेल : eng.civil@kgmcindia.edu

A-46

पत्रांक:...../

दिनांक:...../...../.....

48.	P/F of Fullway ball valve with brass and union complete 20 mm dia.	6	Nos	365.35	2192.10
49.	Welding plant with operator without rod and power for gate repairing opposite to gyne ward.	2	Nos	640.00	1280.00
50.	S/F of wash hand basin heavy quality make of approved brand with pillar cock, bracket pvc connection, waste pipe complete.	1	Nos	2092.47	2092.47
51.	S/F of stainless steel AISI 304 Round basin 405x355 mm with approved brand with CP pillar cock, bracket pvc connection, waste pipe complete in all respect.	2	Nos	2716.17	5432.34
52.	P/F stainless steel A ISI 304 Kitchen sink of size 510x1040x225mm including cost of material, labour, T&P complete in all respect.	3	Nos	5936.22	17808.66
53.	P/F of Aluminium door stoppers	5	Nos	96.09	480.45
54.	Stainless steel sliding door bolt with 16 mm dia 200mm long	3	Nos	378.00	1134.00
55.	Stainless steel handle with screw 150mm long	10	Nos	84.01	840.10
56.	P/F Aluminium Sliding door bolt with 16mm dia and 300mm long.	1	Nos	102.77	102.77
57.	P/F aluminium Round shape handle with screw 100mm long.	18	Nos	85.24	1534.32
58.	P/F of S.S hinges 100mm long with stainless steel screw etc complete	36	Nos	84.01	3024.36
59.	P/F of aluminum tower bolt 150mm long.	18	Nos	90.96	1637.28
60.	Providing carpenter with helper for repairing of old door/window	2	Nos	870.00	1740.00
61.	P/F metal false ceiling of appd. Quality with G.I section including all labor material all complete as per direction of engineer in charge.	83.39	Sqm	1755.04	146352.80
62.	Providing and fixing precoated galvanized iron profile sheet including cost of material and labour in all respect.	152.32	Sqm	583.49	88877.20
63.	Kota stone slab flooring over 20mm thick base laid over and joint with grey cement slurry mixed with pigment to match the shade of the slab, including rubbing and polishing complete with base of cement mortar 1:4.25mm thick.	25.67	Sqm	1539.03	39506.90
64.	Providing and laying finish vitrified tile of size 300x300x9.8mm having with water absorption less	29.16	Sqm	1149.89	33530.79
65.	Providing hydraulic excavator for cleaning of ground and for miscellaneous work.	5	Hour	900.00	4500.00
66.	Sweeper per pair with tools	6	Nos	525.00	3150.00
67.	Providing labour for cleaning t site	16	Nos	325.00	5200.00

Signature



किंग जार्ज चिकित्सा विश्वविद्यालय उ०प्र०, लखनऊ- 226003

निर्माण विभाग (सिविल सेक्शन)

फोन (कुलसचिव कार्यालय) : 0522-2257540 ई-मेल : eng.civil@kgmcindia.edu

A-45

पत्रांक:...../

दिनांक:...../...../.....

68.	Providing cartage for disposal of malwa, refuse material from site as per directi	32.46	Cum	257.20	8348.72
	Total				2766369.00
	Less Discount @ 2.23% as per ARC agreement			(-)	61690.03
	Grand Total				2704678.97
	Say				2704679.00
	In Words : Rupees Twenty seven lac four thousand six hundred seventy nine only + GST and Labour Cess Extra				

नियम एवं शर्तें

- 1 कायदेश प्राप्त होने से 06 सप्ताह के अन्दर कार्य पूर्ण करना होगा।
- 2 समस्त कार्य उ०प्र० लोक निर्माण विभाग की विशिष्टियों/मानकों के अनुसार कराये जायेंगे।
- 3 कार्यों में ली गयी मात्राएं अनुमानित हैं, जो घट या बढ़ सकती हैं। कार्यहित में मदों (Items) में परिवर्तन भी हो सकता है।
- 4 जी०एस०टी० एवं अन्य टैक्स नियमानुसार प्रभावी होंगे।

भवदीय,

(सुरेश कुमार)
अधिशाली अभियन्ता

(दिनेश कुमार राज)
अधीक्षण अभियन्ता

क्रमांक

56/ARC/01/24

दिनांक

प्रतिलिपि निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित:

1. वित्त अधिकारी, के०जी०एम०यू० उ०प्र०, लखनऊ।
2. विभागाध्यक्ष, सर्जरी विभाग, के०जी०एम०यू० उ०प्र०, लखनऊ।
3. श्री अंजनी कुमार, सहायक अभियन्ता, निर्माण विभाग, किंग जार्ज चिकित्सा विश्वविद्यालय, लखनऊ।
4. श्री प्रतीक दुबे, अवसर-अभियन्ता, निर्माण विभाग, किंग जार्ज चिकित्सा विश्वविद्यालय, लखनऊ।

(सुरेश कुमार)
अधिशाली अभियन्ता

(दिनेश कुमार राज)
अधीक्षण अभियन्ता

Final Bill
MBR-245
Page 122 of 180

संदर्भ सं०
Ref. No.

टिप्पणी एवं आदेश
NOTE SHEET

06/09/24

अधिशाली अभियन्ता/अधीक्षण अभियन्ता/कुलसचिव

कृपया प्रोवोल्स, बी०एल० हॉल के पत्रांक 82/बी०एल०एल०/23 दिनांक 29.11.2023 एवं पत्रांक 169/बी०एल०एल०/24 दिनांक 11.07.2024 का संदर्भ ग्रहण करना चाहें, जिसके द्वारा अवगत कराया गया है कि विजय तन्मी छात्रावास के यू०जी० विंग में 37 कमरे, यू०जी० एक्सटेंशन में 24 कमरे, बी०एल० एक्सटेंशन में 48 कमरे, कुल 109 कमरों तथा स्टडी रूम की फर्न काफी दूटी हुयी है। जिससे छात्राओं के पैर में कई बार चोटें लग गयी हैं एवं छात्राओं को कमरे में रहने में असुविधा हो रही है। इसके अतिरिक्त रीडिंग रूम का छज्जा गिर गया है, जिसके कारण रीडिंग रूम में बरसात के समय पानी रूम के अन्दर आ रहा है। यू०जी० एक्सटेंशन की छतों तथा 07 कमरों की छतों में एक्सपेंशन ज्वाइंट से बरसात के पानी का रिसाव होने के कारण सीलन बनी रहती है, उन छतों पर एक्सपेंशन ज्वाइंट का कार्य तथा जहाँ-जहाँ पर दरारें पड़ी हैं वहाँ पर वाटरप्रूफिंग का कार्य कराने की आवश्यकता है। अतः कार्य की आवश्यकता को देखते हुये उपरोक्त कार्य का आगमन तैयार किया गया है। आगमन में निम्न कार्यों को सम्मिलित किया गया है:-

1. छात्रावास के 109 कमरों तथा स्टडी रूम में विट्रीफाइट फ्लोर टाइल्स लगाने का कार्य।
2. छात्रावास के 109 कमरों में डेडो की पेन्टिंग का कार्य।
3. रीडिंग रूम के छज्जे तथा खिड़की की मरम्मत का कार्य।
4. यू०जी० विंग तथा यू०जी० एक्सटेंशन की छतों पर एक्सपेंशन ज्वाइंट का कार्य तथा छतों पर जगह-जगह दरारों में वाटरप्रूफिंग का कार्य।
5. पानी निकासी हेतु दूटे हुये सीमेन्ट पाइप के स्थान पर सी०आई० डाउन पाइप लगाने का कार्य।

उपरोक्त समस्त कार्यों को सम्मिलित करते हुये आगमन की कुल अनुमानित लागत समस्त करों सहित रू० 3036361.00 है। उक्त आगमन ए०आर०सी० एग्जीनेन्ट के अन्तर्गत Schedule of rates of CPWD DSR (Civil)-2023 and DAR (Civil)-2023 as notified by UPPWD circular no 272/CAMP/MUKHYA ABHIYANTA(Bhawan)/2023 dated 10.10.2023 and UPPWD circular no 294/CAMP/MUKHYA ABHIYANTA(Bhawan)/ 2023 dated 26.10.2023 and non-scheduled items rate(as attached in annexure-V) के आधार पर तैयार किया गया है। प्राविधानित कार्य अन्य किसी आगमन में सम्मिलित नहीं किये गये हैं। ~~आगमन अनुव्यय सं० 11~~
अनुमोदनार्थ प्रस्तुत। ~~मा० मा० रू० २०२३ के अन्तर्गत आगमन का पोस्टमार्क जारी करने हेतु~~
अनुमोदन प्रदान करना चाहें।

22 ✓
03/09/2024
(करुणा निधि)
अधीक्षण अभियन्ता(सि०)

(अंजना कुमार)
सहायक अभियन्ता(सि०)

(शैलेन्द्र सिंह)
अधिशाली अभियन्ता(सि०)

06/09/24
(दिनेश कुमार राज)
अधीक्षण अभियन्ता(सि०)

1313
01-09-24
King George's Medical University
Lucknow

Enal Bill
MBN-238
Page No. 18-71

Recommended for
approval of Rs 3036361.00
M/s Rajvardhan (Block Court)
for repair of 109 rooms
and minor work V.L. Hostel

3/9/24

AN
07/09/2024
Vice-Chancellor
King George's Medical University
Lucknow

AC
07/09/24
REGISTRAR
King George's Medical University, Uttar Pradesh
LUCKNOW

06/09/24
Finance Officer
King George's Medical University
LUCKNOW



किंग जार्ज चिकित्सा विश्वविद्यालय 2090, लखनऊ- 226003

निर्माण विभाग (सिविल सेक्शन)

फोन (कुलसचिव कार्यालय) : 0522-2253171 ई-मेल : eng.civil@kgmcindia.edu

पत्रांक: 137/ARC/SP/2024-25

दिनांक: 23/12/24

सेवा में,

Bharat Enterprises
C-901, Rohtas Plumeria, Vibhuti Khand
Gomti Nagar, Lucknow

Name of work: P/L vitrified floor tiles in student room U.G. Wing (37), U.G. Extension (24), V.L. Extension (48) and other misc. work at New V.L. Hostel.

Ref: A.R.C Agreement No.01/KGMU/civil maintenance 2024 dt. 01.08.2024

महोदय,

उपरोक्त विषयक एओआरसीओ अनुबन्ध के अन्तर्गत माओ कुलपति जी के अनुमोदनोपरान्त केओजीओएमओयूओ में P/L vitrified floor tiles in student room U.G. Wing (37), U.G. Extension (24), V.L. Extension (48) and other misc. work at New V.L. Hostel के अन्तर्गत निम्नलिखित कार्य कराये जाने का आदेश दिया जाता है:-

S No	Particulars	Qty	Unit	Rate	Amount
1	Dismantling old damaged cement concrete flooring including disposal of refuse as directed by Engineer-in-charge.	48.10	Cum.	1922.94	92493.41
2	Dismantling existing old plaster including disposal of refuse as directed by engineer incharge.	228.62	Sqm.	43.17	9869.53
3	Dismantling existing old RCC by manually including disposal of refuse as directed by engineer incharge.	0.34	Cum.	2805.32	953.81
4	Dismantling brickwork manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50m lead as per direction of E/I. In cement mortar.	2.40	Sqm.	1627.46	3905.90
5	Providing and filling of expansion joint with 65mm thick form/back or rod, filling of polysulphide sealant into the groove after backer rod/EPE foam filling smoothening the surface by smooth notch tools, the top sealant surface should be in round finish. The filling should not less than 20mm deep and 40mm wide as per width of joint with 1.0mm thick master seal butyl tape base of required wide and pasted on the slab with epoxy adhesive and cleaning with grinder, brushing and vacuum cleaning using bituminous pad 6mm thick for the protection of master seal butyl tape complete work with 5 years warranty.	30.75	Rmt.	2137.00	65712.75
6	M-150 Class 230mm thick brick work in 1:4 cement coarse sand in super structure including supply of all materials, labours and T&P etc. for proper completion of the work.	2.40	Cum.	7381.60	17715.84
7	Taking out existing wooden door, shutter repair by cutting painting etc. and refixing of repaired door shutters to existing door, frames including replacement of hinges with screw etc. all complete.	109.00	Nos.	338.97	36947.73
8	Providing sal wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia & length.	0.14	Cum.	92045.50	12886.37
9	P/L 62mm thick cement concrete flooring with concrete hardner topping on reinforcement of murga jali, under layer 50mm thick cement concrete in 1:2:4 cement and top layer 12mm thick cement hardening of mix 1:2 by volume, hardening compound mixed 2 liter per 50kg of cement.	30.06	Sqm.	834.31	25079.36
10	Drilling suitable holes in reinforced or plain cement concrete with power driven drill machine to a minimum depth of 100mm in RCC beam, lintels, columns and slab to introduce steel bars in position using epoxy resin anchor grout of approved make but excluding the cost reinforcement, all complete.	17.00	Nos.	111.54	1896.18
11	P/L, RCC work in lintel/platform 1:1.5:3 cement, coarse sand and stone aggregate.	0.34	Cum.	9088.80	3090.19
12	Mild steel work for reinforcement in plain concrete work including cutting, bending and binding and also including binding wire.	42.48	Kg	85.20	3619.30
13	P/L 12mm cement plaster in 1:6 on wall with cement and coarse sand including supply of all material labour and T&P etc. for proper	3.08	Sqm.	271.47	836.13

पृष्ठ संख्या

दिनांक: / /

	completion of the work.				
14	P/L 12mm cement plaster 1:3(1 cement: 3course sand) finished with a floating coat of neat cement on the rough side of single or half brick wall.	53.39	Sqm.	346.99	18525.80
15	P/L cement concrete in 1:2:4 cement , coarse sand 20mm stone grit.	30.82	Sqm.	6223.64	191812.58
16	P/F double scaffolding system (cup lock type) on the exterior side of building structure upto 25 metre height, above ground level, including additional rows of scaffolding in stepped manner as per requirement of site, made with 40mm dia M.S Tube placed 1.5 metre centre to centre, horizontal and vertical tubes joint with cup and lock system with M.S Tubes, M.S Tube challis, M.S clamps and staircase system in the scaffolding for working platform etc. and maintaining it in a serviceable condition for execution of work of cleaning and/or pointing and/ or applying chemical and removing it thereafter. The scaffolding system shall be stiffened with bracings, runners, connecting with the building etc. wherever required, if feasible for inspection of work at required locations with essential safety features for the workmen etc. complete as per directions and approval of Engineer-in-charge.	28.50	Sqm.	267.20	7615.20
17	Centering and shuttering including strutting propping etc. and removal of form for suspended floor, roof, landing, chajja, balcony.	3.40	Sqm.	732.48	2490.43
18	P/L vitrified floor tiles in 600x600mm (thickness to be specified by the manufacture) with water absorption less than 0.08% and conforming to IS: 15622 of approved make in all colours and shades , laid on 20mm thick cement mortar in 1:4 cement coarse sand including grouting of joints with white cement and matching pigment etc. complete.	1400.99	Sqm.	1227.15	1719224.88
19	P/L vitrified floor tiles in 600x600mm (thickness to be specified by the manufacture) with water absorption less than 0.08% and conforming to IS: 15622 of approved brand & manufacturer, quick set tile adhesive(water based) conforming to IS :15477, in average 6 mm thickness, including grouting of joints etc complete.	67.28	Sqm.	1362.95	91699.28
20	P/L Vitrified wall tiles 300x600mm with water absorption less then 0.08% and conforming to IS: 15622 of approved make in all colours and sheds , laid on 12mm thick cement mortar in 1:3 cement coarse sand including grouting of jointes with white cement and matching pigment.	3.78	Sqm.	1136.00	4294.08
21	P/L Vitrified wall tiles 200x300mm with water absorption less then 0.08% and conforming to IS: 15622 of approved make in all colours and sheds , laid on 12mm thick cement mortar in 1:3 cement coarse sand including grouting of jointes with white cement and matching pigment.	6.96	Sqm.	852.00	5929.92
22	Applying one coat of water thinnbale cement primer of approved brand and manufacture on wall surface.	10.73	Sqm.	58.42	626.85
23	Providing and laying white cement based putty of average thickness 1mm of approved brand on new plastered surface to prepare the surface even and smooth complete.	10.73	Sqm.	123.27	1322.69
24	Scraping old white or colour wash etc. including disposal of refuse material as directed by Engineer-in-charge.	169.64	Sqm.	19.87	3370.75
25	Providing and laying cement based white putty of average thickness 0.60mm of approved brand and manufacture, over the old painted wall surface to prepare the surface even and smooth complete.	169.64	Sqm.	53.00	8990.92
26	Distempering with oil bound distemper two coat of approved brand old Surface to give an even shade including all material , labour T&P etc. complete.	146.93	Sqm.	85.57	12572.80
27	Application of two coats apex Ultima paint on outer surface including supply of all materials, labours and T&P etc. for proper completion of the work.	7.65	Sqm.	103.72	793.46
28	Painting two coats with Superior synthetic enamel paint in old Surface including supply of labour material t&p etc. complete.	1767.05	Sqm.	81.21	143502.13
29	P/F fly proof S.S wire gauge with 0.5mm dia. wire and 1.4mm wide aperture with expanded metal wire mesh with matching wood heading.	15.56	Sqm.	1422.27	22130.52
30	P/F of C.I pipe 100mm dia of appd. quality.	27.45	Rmt.	923.69	25355.29
31	P/F of plain bend 100mm dia.	3.00	Nos.	450.32	1350.96



किंग जार्ज चिकित्सा विश्वविद्यालय उ०प्र०, लखनऊ- 226003

निर्माण विभाग (सिविल सेक्शन)

फोन (कुलसचिव कार्यालय) : 0522-2253171 ई-मेल : eng.civil@kgmcindia.edu

पत्रांक:..... /

दिनांक:..... / .. /

32	P/F C.I tee 100mm dia.	3.00	Nos.	731.26	2193.78
33	P/F of M.S holder bat clamp for pipe 100mm dia.	12.00	Nos.	286.63	3439.56
34	Providing sweeper with helper for cleaning of drain.	1.00	No.	525.00	525.00
35	Providing labour (unskilled) for cleaning of site and collecting malwa.	11.00	Nos.	325.00	3575.00
36	Cartage for disposal of malwa upto 10km away from the site.	32.57	Cum.	257.20	8377.00
	Total				2554725.37
	Less Discount @ 2.23% as per ARC agreement			(-)	56970.38
	Grand Total				2497754.99
	Say				2497755.00
In Words : Twenty Four Lac Ninety Seven Thousand Seven Hundred Fifty Five + GST and Labour Cess Extra					

नियम एवं शर्तें

- 1- कार्यदिश प्राप्त होने से 03 माह के अन्दर कार्य पूर्ण करना होगा।
- 2- समस्त कार्य उ०प्र० लोक निर्माण विभाग की विशिष्टियों/मानकों के अनुसार कराये जायेंगे।
- 3- कार्यों में ली गयी मात्राएं अनुमानित हैं, जो घट या बढ़ सकती हैं। कार्यहित में मदों (Items) में परिवर्तन भी हो सकता है।
- 4- जी०एस०टी० एवं अन्य टैक्स नियमानुसार प्रभावी होंगे।

भवदीय,

(शैलेन्द्र सिंह)
अधिशाली अभियन्ता

(दिनेश कुमार राज)
अधीक्षण अभियन्ता

क्रमांक

137/ARC/101

दिनांक

प्रतिलिपि निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित:

- 1- विल्ल अधिकारी, किंग जार्ज चिकित्सा विश्वविद्यालय, उ०प्र० लखनऊ।
- 2- प्रोबोस्ट, वी०एल० हाल, किंग जार्ज चिकित्सा विश्वविद्यालय, उ०प्र० लखनऊ।
- 3- श्री अंजनी कुमार, सहायक अभियन्ता, निर्माण विभाग, किंग जार्ज चिकित्सा विश्वविद्यालय, उ०प्र० लखनऊ।
- 4- श्री करुणानिधि, अवर अभियन्ता, निर्माण विभाग, किंग जार्ज चिकित्सा विश्वविद्यालय, लखनऊ।

(शैलेन्द्र सिंह)
अधिशाली अभियन्ता

(दिनेश कुमार राज)
अधीक्षण अभियन्ता

अधिकासी अभियन्ता/अधीक्षण अभियन्ता/कुलसचिव

कृपया प्रोवोस्ट, वी०एल० हॉल के पत्रांक 78/वी०एल०एच०/23 दिनांक 29.11.2023, 79/वी०एल०एच०/23 दिनांक 29.11.2023 तथा 201/वी०एल०एच०/24 दिनांक 07.08.2024 का संदर्भ ग्रहण करना चाहें जिसके द्वारा अवगत कराया गया है कि छात्रावास के ग्राउण्ड एवं प्रथम तल पर 50 स्टूडेंट कमरे, डारमेट्री, टी०वी० रूम, मेस एवं बरामदा में मरम्मत एवं पेन्टिंग, ग्राउण्ड एवं प्रथम तल के बरामदे के फर्श का कोटा स्टोन की विसाई, छत पर जगह-जगह कैंक्स फर्श में वाटर प्रूफिंग आदि कार्य कराने के लिये प्रोवोस्ट द्वारा अनुरोध किया गया है। अतः कार्य की आवश्यकता को देखते हुये आगणन तैयार किया गया है। आगणन में निम्न कार्यों को सम्मिलित किया गया है:-

1. ग्राउण्ड एवं प्रथम तल के 50 कमरों, बरामदा, मेस, डारमेट्री रूम, टी०वी० रूम तथा ट्वायलेट में जगह-जगह सीलिंग एवं वाल में प्लास्टर, मरम्मत व पेन्टिंग का कार्य।
2. छात्रावास के वाहय भाग में प्लास्टर, मरम्मत व पेन्टिंग का कार्य।
3. ट्वायलेट में जगह-जगह टूटी टाइल्स, खराब दरवाजे एवं सेनेटरी फिटिंग्स बदलने का कार्य।
4. छात्रावास के छत पर वाटर टैंक एरिया अन्य जगहों पर मरम्मत/वाटरप्रूफिंग का कार्य।
5. ग्राउण्ड एवं प्रथम तल के बरामदों में कोटा स्टोन फ्लोर कटिंग एवं पॉलिशिंग का कार्य।
6. ग्राउण्ड एवं प्रथम तल के कमरों की खिड़कियों में मच्छर जाली, ग्लास लगाने का कार्य।

उपरोक्त समस्त कार्यों को सम्मिलित करते हुये आगणन की कुल अनुमानित लागत समस्त करों सहित ₹ 3746507.00 है। उक्त आगणन ए०आर०सी० एग्रीमेन्ट के अन्तर्गत Schedule of rates of CPWD DSR (Civil)-2023 and DAR (Civil)-2023 as notified by UPPWD circular no 272/CAMP/MUKHYA ABHIYANTA(Bhawan)/2023 dated 10.10.2023 and UPPWD circular no 294/CAMP/MUKHYA ABHIYANTA(Bhawan)/ 2023 dated 26.10.2023 and non-scheduled items rate(as attached in annexure-V) के आधार पर तैयार किया गया है। प्राविधानित कार्य अन्य किसी आगणन में सम्मिलित नहीं किये गये हैं। ए०आर०सी० अंश 1 में अनुमोदनार्थ प्रस्तुत। भारत इन्टरप्राइजेज का अंश 2 में जोड़ कर देना।

Kamran Ali
(करुणा निधि)
अवर अभियन्ता(सि०)

Ajanta Kumar
(अंजना कुमार)
सहायक अभियन्ता(सि०)

Shilendra Singh
(शैलेन्द्र सिंह)
अधिकासी अभियन्ता(सि०)

Dinesh Kumar Raj
(दिनेश कुमार राज)
अधीक्षण अभियन्ता(सि०)

विभागाध्यक्ष/प्रोवोस्ट

मा० कुलपति जी द्वारा नामित सदस्य

Requested to please
approve Repair and
Painting of 50 Rooms
of the Hostel at estimated
cost of Rs 3746507.00

Rohit
7/9/24

Encl Bill
MBW-241
Regd W-22-106

F.10

AP
12/9/24

REGISTRAR

King George's Medical University, Uttar Pradesh
LUCKNOW

22.10.2024
King George's Medical University U P
Lucknow

18/9/24

16.9.24



किंग जार्ज चिकित्सा विश्वविद्यालय उ०प्र०, लखनऊ- 226003

निर्माण विभाग (सिविल सेक्शन)

फोन (कुलसचिव कार्यालय) : 0522-2257540 ई-मेल : eng.civil@kgmcindia.edu

पत्रांक: 75 ARC/01/24

दिनांक: 19/11/2024

सेवा में,

Bharat Enterprises
C-901, Rohtas Plumeria, Vibhuti Khand
Gomti Nagar, Lucknow

Name of work: Repair and painting of 50 student rooms, dormitory room, mess, toilet inside & outer portion including floor cutting in first and second floor of verandah and other misc. work at old V.L. hostel..

Ref: A.R.C Agreement No.01/KGMU/civil maintenance 2024 dt. 01.08.2024

महोदय,

उपरोक्त विषयक ए०आर०सी० अनुबन्ध के अन्तर्गत मा० कुलपति जी के अनुमोदनोपरान्त के०जी०एम०यू० में Repair and painting of 50 student rooms, dormitory room, mess, toilet inside & outer portion including floor cutting in first and second floor of verandah and other misc. work at old V.L. hostel. के अन्तर्गत निम्नलिखित कार्य कराये जाने का आदेश दिया जाता है:-

Sl.No.	Particulars	Qty	Unit	Rate	Amount
1.	Dismantling old damaged cement concrete flooring including disposal of refuse as directed by Engineer incharge.	8.45	Cum.	1922.94	16248.84
2.	Dismantling existing old plaster including disposal of refuse as directed by engineer incharge.	1614.59	Sqm.	43.17	69701.85
3.	Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50m lead, for thickness of tiles 10mm to 25mm.as directed by Engineer-in-charge.	53.13	Sqm.	57.98	3080.48
4.	Cutting holes in required size of Brick masonry walls for fixing of Spout arrangement with pvc pipe and making good same etc complete as per direction Engineer in Charge.	3	Nos.	227.59	682.77
5.	Dismantling of old door/ windows chaukhats with hold fast & including stacking of dismantled material directed by the engineer incharge.	6	Nos.	113.36	680.16
6.	Dimolishing RCC work manually including stacking of steel bars and disposal of unservicable material directed by the engineer incharge.	0.81	Cum.	2805.32	2272.31
7.	M-150 Class 230mm thick brick work in 1:4 cement coarse sand in super structure including supply of all materials, labours and T&P etc.for proper completion of the work.	0.34	Cum.	7381.60	2509.74
8.	M-150 class 120mm thick brick work in 1:4 cement & coarse sand in super structure including supply of all materials, labours and T&P etc.for proper completion of the work.	1.73	Sqm.	887.75	1535.81
9.	Drilling suitable holes in reinforced or plan cement concrete with power driven drill machine to a minimum depth of 100mm in RCC beam,lintels,columns and slab to introduce steel bars in position using epoxy resin anchor grout of approved make but excluding the cost reinforcement,all	168	Nos.	111.54	18738.72



किंग जार्ज चिकित्सा विश्वविद्यालय उ०प्र०, लखनऊ- 226003

निर्माण विभाग (सिविल सेवकान)

A-51

फोन (कुलसचिव कार्यालय) : 0522-2257540 ई-मेल : eng.civil@kgmcindia.edu

पत्रांक:..... /

दिनांक:..... / .. / ..

10.	P/L RCC work in lintel/platform 1:1.5:3 cement, coarse sand and stone aggregate.	1.03	Cum.	9088.80	9361.46
11.	Mild steel work for reinforcement in plain concrete work including cutting bending and binding and also including binding wire.	141.24	Kg	85.20	12033.65
12.	P/F double scaffolding system (cup lock type) on the exterior side of building/structure, upto 25 metre height, above ground level, including additional rows of scaffolding in stepped manner as per requirement of site, made with 40mm dia M.S Tube placed 1.5 metre centre to centre, horizontal and vertical tubes joint with cup and lock system with M.S Tubes, M.S Tube chalis, M.S clamps and staircase system in the scaffolding for working platform etc. and maintaining it in a serviceable condition for execution of work of cleaning and/or pointing and/ or applying chemical and removing it thereafter. The scaffolding system shall be stiffened with bracings, runners, connecting with the building etc, wherever required, if feasible for inspection of work at required locations with essential safety features for the workmen etc, complete as per directions and approval of Engineer-in-charge.	140.25	Sqm.	267.20	37474.80
13.	Providing sal wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia & length.	0.17	Cum.	92045.50	15647.74
14.	P/L 62mm thick cement concrete flooring with concrete hardner topping on reinforcement of murga jali, under layer 50mm thick cement concrete in 1:2:4 cement and top layer 12mm thick cement hardening of mix 1:2 by volume, hardening compound mixed 2 liter per 50kg of cement.	163.94	Sqm.	834.31	136776.78
15.	18mm cement plaster in two coats under layer 12mm thick cement plaster 1:5 (1 cement : 5 coarse sand) and a top layer 6mm thick cement plaster 1:3 (1 cement : 3 coarse sand) finished rough with sponge.	298.44	Sqm.	424.56	126705.69
16.	P/L 12mm cement plaster in 1:4 on ceiling with cement and coarse sand including supply of all material labour and T&p etc. for proper completion of the work.	216.43	Sqm.	282.29	61096.02
17.	P/L 12mm cement plaster in 1:6 on wall with cement and coarse sand including supply of all material labour and T&p etc. for proper completion of the work.	1087.83	Sqm.	271.47	295313.21
18.	P/L 15mm cement plaster 1:3 (1 cement : 3 coarse sand) finished with a floating coat of neat cement on the rough side of single or half brick wall.	7.74	Sqm.	400.19	3097.47
19.	P/L wall tiles 200x300mm with water absorption less than 0.08% and conforming to IS: 15622 of approved make in all colours and sheds, laid on 12mm thick cement mortar in 1:3 cement coarse sand including grouting of jointes with white cement and matching pigment.	26.85	Sqm.	852.00	22876.20

6



किंग जार्ज चिकित्सा विश्वविद्यालय उ०प्र०, लखनऊ- 226003

निर्माण विभाग (सिविल सेक्शन)

फोन (कुलसचिव कार्यालय) : 0522-2257540 ई-मेल : eng.civil@kgmcindia.edu

पत्रांक:...../.....

दिनांक:...../...../.....

20.	P/L vitrified floor tiles in 600x600mm (thickness to be specified by the manufacture) with water absorption less than 0.08% and conforming to IS: 15622 of approved make in all colours and shades , laid on 20mm thick cement mortar in 1:4 cement coarse sand including grouting of joints with white cement and matching pigment etc. complete.	17.28	Sqm.	1227.15	21205.15
21.	P/L wall tiles 300x600mm with water absorption less than 0.08% and conforming to IS: 15622 of approved make in all colours and shades , laid on 12mm thick cement mortar in 1:3 cement coarse sand including grouting of joints with white cement and matching pigment.	35.64	Sqm.	1136.00	40487.04
22.	P/L kota stone flooring over 20mm thick base of cement mortar 1:4 cement & coarse sand including grouting, rubbing and polishing complete.	34.06	Sqm.	1539.03	52419.36
23.	P/L 18mm thick granite in required design and pattern with 1:4 cement coarse sand including all labour material etc. Complete	2.14	Sqm.	4057.44	8682.92
24.	Providing edge moulding to 18 mm thick granite stone counters, vanities etc, including machine polishing to edge to give high gloss finish etc. complete	4.20	Rmt.	403.63	1695.25
25.	Applying one coat of water thinnable cement primer of approved brand and manufacture on wall surface.	1602.70	Sqm.	58.42	93629.73
26.	Providing and laying white cement based putty of average thickness 1mm of approved brand on new plastered surface to prepare the surface even and smooth complete.	1602.70	Sqm.	123.27	197564.83
27.	Scraping old white or colour wash etc. including disposal of refuse material as directed by Engineer-in-charge	3287.84	Sqm.	19.87	65329.38
28.	Providing and laying cement based white putty of average thickness 0.60mm of approved brand and manufacture, over the old painted wall surface to prepare the surface even and smooth complete.	3287.84	Sqm.	53.00	174255.52
29.	Distempering with oil bound distemper two coat on previously painted old surface with first quality acrylic distemper (ready mixed) having volatile organic compound less than 50g per litre of approved brand and manufacture including all materials, labours T&P etc. complete .	6750.75	Sqm.	85.57	577661.68
30.	Application of two coats apex Ultima paint on outer surface including supply of all materials, labours and T&P etc. for proper completion of the work.	2525.26	Sqm.	103.72	261919.97
31.	Painting two coats with Superior synthetic enamel paint in old Surface including supply of labour material t&p etc. complete.	1034.97	Sqm.	81.21	84049.91
32.	Painting 2coat with superior synthetic enamel paint with priming coat on new surface upto 10 cm width or	9.60	Sqm.	178.73	1715.81

16



किंग जार्ज चिकित्सा विश्वविद्यालय उ०प्र०, लखनऊ- 226003

निर्माण विभाग (सिविल सेक न)

फोन (कुलसचिव कार्यालय) : 0522-2257540 ई-मेल : eng.civil@kgmcindia.edu

A-49

पत्रांक:..... /

दिनांक:..... /

33.	Mirror Polishing on Marble work / Granite work / Stone Work where ever required to give high gloss finish complete.	1023.07	Sqm.	400.27	409504.23
34.	P/F fly proof S.S wire gauge with 0.5mm dia. wire and 1.4mm wide aperture with expanded metal wire mesh with matching wood beading.	114.02	Sqm.	1422.27	162167.23
35.	P/F glass panes 4mm thick with putty and glazing clips in steel doors, windows, clerestory windows and all complete.	12.54	Sqm.	861.56	10803.96
36.	Providing and fixing 30mm thick ISI marked flush door shutters conforming to IS : 2202 (Part-I) decorative type, core of block board construction with frame of Ist class hard wood and well matched teak 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters including stainless steel butt hinges with necessary screws.	4.28	Sqm.	2502.53	10710.83
37.	Providing and fixing factory made single extruded WPC (Wood Polymer Composite) flush door shutter 25mm thick one side white color and other side of board laminated with PVC foil of minimum 14 micron thickness of approved design pasted with hot melt adhesive of required size with single extruded WPC (Wood Polymer Composite) solid door/ window/ clerestory windows & other frames/ chaukhat of size 45 x 70mm comprising of virgin PVC polymer, including s.s. hinges 100mm long, aluminium handles, aluminium sliding door bolt, aluminium tower bolt, and filling the gap with silicon sealant all complete as per direction of Engineer-in-charge.	7.38	Sqm.	6535.47	48231.77
38.	Fabrication of M.S structure with M.S angle with welding complete.	29.06	Kg	136.35	3962.33
39.	Providing and fixing stainless steel kitchen sink without drain board with ci brackets and stainless steel plug 40mm including painting of fittings and brackets.	4	Nos.	3060.12	12240.48
40.	P/F 600x450mm beveled edge mirror of superior glass complete with 6mm thick hard board fixed to wooden cleats with C.P. brass screws and washers complete.	8	Nos.	1270.20	10161.60
41.	S/F 10 Lit PVC low down cistern for appd. Quality in completed.	4	Nos.	940.56	3762.24
42.	P/F of hand wash basin size 630x450 heavy quality make of approved brand with bracket, pillar cock, waste jali, waste pipe, PVC connection complete.	1	No.	2092.47	2092.47
43.	S/F pvc waste pipe 32mm dia.	3	Nos.	94.44	283.32
44.	P/F C.P waste jali for sink ISI marked.	4	Nos.	91.08	364.32
45.	S/F PVC connection 450mm long Prayag make.	6	Nos.	77.22	463.32
46.	S/F PVC socket 100mm dia approved quality.	1	No.	363.00	363.00
47.	S/F PVC plain bend 100mm dia approved quality.	3	Nos.	458.00	1374.00
48.	S/F PVC pipe 100mm dia approved quality.	1.83	Rmt.	650.00	1189.50

किंग जार्ज चिकित्सा विश्वविद्यालय उ०प्र०, लखनऊ- 226003
निर्माण विभाग (सिविल सेक्शन)

फोन (कुलसचिव कार्यालय) : 0522-2257540 ई-मेल : eng.civil@kgmcindia.edu

पत्रांक:...../

दिनांक:...../...../.....

49.	Providing and fixing CP long body bib cock of approved quality of 15mm dia.	4	Nos.	631.13	2524.52
50.	Providing and fixing gun metal gate valve ci wheel of approved quality 25mm dia.	4	Nos.	491.67	1966.68
51.	Providing and fixing gun metal gate valve ci wheel of approved quality 20mm dia.	4	Nos.	426.54	1706.16
52.	P/F CPVC pipes 20mm dia., having thermal stability or hot & cold water supply, including all CPVC plain and brass threaded fittings, l/c fixing the pipe with clamps at 1m spacing. This includes jointing of pipes and fitting with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of E/I complete.	12.20	Rmt.	424.68	5181.10
53.	S/F of red HCI pipe with socket including fitting 100mm dia.	24.20	Rmt.	923.69	22353.30
54.	S/F C.I Nahani trap 100mm dia approved quality.	2	Nos.	915.00	1830.00
55.	S/F C.I plain bend 100mm dia.	3	Nos.	450.32	1350.96
56.	P/F aluminium sliding door bolt with 16mm dia 250mm long with ISI marked with net and screw complete.	6	Nos.	205.86	1235.16
57.	P/F aluminium tower bolt with 10mm dia 300mm long with ISI marked with net and screw complete.	12	Nos.	102.77	1233.24
58.	Providing and fixing PTMT towel rail complete with brackets fixed to wooden cleats with cp brass screws with concealed fittings arrangement of approved quality and colour.	8	Nos.	560.04	4480.32
59.	Providing welding machine with welder for Repair of old M.S doors and windows.	2	Nos.	640.00	1280.00
60.	Providing carpenter with helper for repair of old doors and windows.	4	Nos.	870.00	3480.00
61.	Providing sweeper with helper for cleaning of drain.	2	Nos.	525.00	1050.00
62.	Providing plumber with helper for repairing removeing and refixing old fittings.	2	Nos.	820.00	1640.00
63.	Providing labour (unskilled) for cleaning of site and collecting malwa.	8	Nos.	325.00	2600.00
64.	Cartage for disposal of malwa upto 10km away from the site.	16.29	Cum.	257.20	4189.79
Total					3152226.07
Less Discount @ 2.23% as per ARC agreement					(-) 70294.64
Grand Total					3081931.43
Say					3081931.00
In Words : Rupees Thirty lac eighty one thousand nine hundred thirty one only + GST and Labour Cess Extra					

नियम एवं शर्तें

- 1 कार्यदिश प्राप्त होने से 06 सप्ताह के अन्दर कार्य पूर्ण करना होगा।
- 2 समस्त कार्य उ०प्र० लोक निर्माण विभाग की विशिष्टियों/मानकों के अनुसार कराये जायेंगे।
- 3 कार्यों में ली गयी मात्राएं अनुमानित है, जो घट या बढ़ सकती है। कार्यहित में मदों (Items) में परिवर्तन भी हो सकता है।

किंग जार्ज चिकित्सा विश्वविद्यालय उ०प्र०, लखनऊ- 226003

निर्माण विभाग (सिविल सेक्शन)

फोन (कुलसचिव कार्यालय) : 0522-2257540 ई-मेल : eng.civil@kgmcindia.edu

पत्रांक:..... /

दिनांक:..... /

4 जी०एस०टी० एवं अन्य टैक्स नियमानुसार प्रभावी होंगे।

भवदीय,
(शैलेन्द्र सिंह)
अधिशासी अभियन्ता

(दिनेश कुमार राज)
अधीक्षण अभियन्ता

क्रमांक

75/ARC/01/24

दिनांक

प्रतिलिपि निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित:

1. वित्त अधिकारी, के०जी०एम०यू० उ०प्र०, लखनऊ।
2. प्रोवोस्ट, ओल्ड वी०एल० हॉस्टल, के०जी०एम०यू० उ०प्र०, लखनऊ।
3. श्री अंजनी कुमार, सहायक अभियन्ता, निर्माण विभाग, किंग जार्ज चिकित्सा विश्वविद्यालय, लखनऊ।
4. श्री करुणा निधि, अवर अभियन्ता, निर्माण विभाग, किंग जार्ज चिकित्सा विश्वविद्यालय, लखनऊ।

(शैलेन्द्र सिंह)
अधिशासी अभियन्ता

(दिनेश कुमार राज)
अधीक्षण अभियन्ता

Final Bill
MB12201
Engl W. 22-106

N-1

Dis...

Date

Nirman

K.G.M.U., U.P., Lucknow

अधीक्षण अभियन्ता / कुलसचिव / वित्त अधिकारी / मा0 कुलपति जी

कृपया कुलपति कार्यालय के सर्कुलर नम्बर-KGMU/VC/100/2024 दिनांक 06.09.2024 का संदर्भ ग्रहण करने का कष्ट करें, जिसमें मा0 कुलपति महोदय के निर्देशों के कम में प्रो0 माला कुमार, विभागाध्यक्ष, बाल विभाग की अध्यक्षता में गठित कमेटी द्वारा दिनांक 04.09.2024 को रेजीडेन्ट हास्टल के रिनोवेशन से सम्बंधित मीटिंग आयोजित की गयी जिसमें कमेटी के अन्य सदस्य प्रो0 क्षितिज श्रीवास्तव, चीफ प्रॉक्टर के.जी.एम.यू., सदस्य, डा0 स्मृति अग्रवाल, प्रसूति एवं स्त्री विभाग, के.जी.एम.यू., नेक्स्ट प्रोवोस्ट, रेजीडेन्ट हास्टल, श्री सुरेश कुमार, अधिशासी अभियन्ता, निर्माण विभाग, के.जी.एम.यू., सदस्य, श्री ताराचन्द्र यादव, सहायक अभियन्ता, निर्माण विभाग, के.जी.एम.यू., सदस्य तथा श्री आलोक कुमार, चीफ एम.एस. एस.ओ., वी.सी. ऑफिस, के.जी.एम.यू. सदस्य सेक्रेटरी उपस्थित थे। रेजीडेन्ट हास्टल को पी.जी. गर्ल्स हास्टल बनाया जाना प्रस्तावित है जिसके लिए छात्रावास का रिनोवेशन कार्य कराया जाना आवश्यक है। छात्रावास के रिनोवेशन के लिए कमेटी द्वारा छात्रावास के निरीक्षणोंपरान्त निम्नलिखित कार्य कराये जाने का सुझाव दिया है। अतः कार्य की आवश्यकता को देखते हुए छात्रावास के ब्लॉक बी जिसमें 40 कक्षों का आगणन तैयार किया गया है। आगणन में निम्नलिखित कार्यों को लिया गया जिसका विवरण निम्न है:-

1. छात्रावास के ब्लॉक बी0 के सभी शौचालयों में पुरानी जर्जर लाइन को बदलने का प्राविधान।
2. ब्लॉक बी0 के समस्त कमरों की फर्श में टाइल्स लगाने का प्राविधान।
3. छात्रावास के ब्लॉक बी0 में सभी कमरों व टवायलेटों की मरम्मत व पेंटिंग का प्राविधान।
4. ब्लॉक बी0 के समस्त कमरों की अलमारियों में आर.सी.सी. स्लैब ढालकर ग्रेनाइट लगाने का प्राविधान।
5. बाथरूम में हैंगर तथा राड लगाने का प्राविधान।
6. छात्रावास के ब्लॉक बी0 के कमरों में फुल साइज मिरर लगाने का प्राविधान।
7. छात्रावास के ब्लॉक बी0 में कमरों के दरवाजे व खिड़कियों के पल्लों व चौखट की मरम्मत कराये जाने का प्राविधान।
8. कक्षों की खिड़कियों के टूटे हुए शीशों व मच्छर जाली को बदलने का प्राविधान।

कमेटी द्वारा प्रस्तावित उपरोक्त समस्त कार्यों को कराये जाने का आगणन तैयार किया गया है। आगणन में समस्त कार्यों को सम्मिलित करते हुए आगणन की अनुमानित लागत समस्त करों सहित रु. 37,63,366.00 है। उक्त आगणन ए0आर0सी0 एग्रीमेन्ट के अन्तर्गत schedule of rates of CPWD DSR (Civil)-2023 and DAR (Civil)-2023 as notified by UPPWD circular no.272/CAMP/MUKHYABHIYANTA (Bhawan)/2023 dated 10.10.2023 and UPPWD CIRCULAR no. 294/CAMP/MUKHY ABHIYANTA (Bhawan)/2023 dated 26.10.2023 and non scheduled items annexure-V के आधार पर तैयार किया गया है। प्राविधानित कार्य अन्य किसी आगणन में सम्मिलित नहीं किये गये हैं। उक्त कार्य ए.आर.सी. अनुबन्ध संख्या-05/KGMU/civil maintenance 2024 dt. 01-08-2024 के अन्तर्गत M/S Brijesh Singh से कराया जाना प्रस्तावित है। सहमति की दशा में अनुमोदन प्रदान करना चाहे अथवा अन्य निर्देश देना चाहे।

अनुमोदनार्थ प्रस्तुत।

(पोषित राय)
अवर अभियन्ता

(टी.सी. यादव)
सहायक अभियन्ता

(सुरेश कुमार)
अधिशासी अभियन्ता

(दिनेश कुमार राज)
अधीक्षण अभियन्ता

प्रोवोस्ट / विभागाध्यक्ष


Recommended for
approval of Rs 3763366.00
of 'B' Block

Brig (Dr) Pradeep Srivastava
Associate Professor
Department of Hospital Administration
KGMU, Lucknow

REGISTRAR

King George's Medical University, Uttar Pradesh
LUCKNOW

VICE Chancellor
King George's Medical University U.P.
Lucknow

Finance Officer
K.G.'s Medical University, U.P.
LUCKNOW

Final Bill
MBM-247
BGLW 31-64



किंग जार्ज चिकित्सा विश्वविद्यालय उ०प्र०, लखनऊ- 226003

निर्माण विभाग (सिविल सेक्शन)

फोन (कुलसचिव कार्यालय) : 0522-2257540 ई-मेल : eng.civil@kgmcindia.edu

पत्रांक: 143 / A.R.C/S

दिनांक: 30/12/2024

कायदेश

सेवा में,

M/s Brijesh Singh
227/A, Vardhan Khand, Sec-1,
Gomti Nagar Ext. Lucknow-226010

Name of work: Repair and renovation of rooms including toilets in block-B at resident hostel KGMU

Ref: A.R.C Agreement No. 05/KGMU/civil maintenance 2024 dt. 01.08.2024

महोदय,

उपरोक्त विषयक ए०आर०सी० अनुबन्ध के अन्तर्गत मा० कुलपति जी के अनुमोदनोपरान्त के०जी०एम०यू० में
Repair and renovation of rooms including toilets in block-B at resident hostel KGMU के अन्तर्गत निम्नलिखित
कार्य कराये जाने का आदेश दिया जाता है:-

Sl.No.	Particulars	Qty	Unit	Rate	Amount
1	Earth work in excavation in trenches for foundations in ordinary soil including lift upto 1.5 m. lead upto 50m and dressing of sides and ramblings of bottom.	12.38	Cum	205.62	2545.58
2	Dismantling of old door/windows chaukhats with hold fast & including stacking of dismantled material directed by E/I.	40.00	Nos.	290.07	11602.80
3	Dismantling existing old plaster including disposal of dismantled as directed by E/I.	306.37	Sqm	43.17	13225.99
4	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge.	19.30	Cum	1187.77	22923.96
5	Dismantling G.I. pipes (external work) 15 mm to 40 mm nominal bore including excavation and refilling trenches after taking out the pipes, manually/ by mechanical means including stacking of pipes within 50 metres lead as per direction of Engineer-in-charge	541.80	Rmt	118.34	64116.61
6	Taking out existing CC interlocking paver blocks from footpath/ central verge, including removal of rubbish etc., disposal of unserviceable material to the dumping ground, for which payment shall be made separately and stacking of serviceable material within 50 metre lead as per direction of Engineer-in-Charge.	16.50	Sqm.	104.08	1717.32
7	P/L PCC 1:5:8 cement, fine sand & 40mm stone ballast.	1.77	Cum	5149.39	9114.42
8	Scraping old white or colour wash etc.including disposal of refuse material as directed by Engineer-in-charge.	893.91	Sqm	19.87	17761.99
9	M-150 Class brick work in 1:4 cement coarse sand in superstructure including supply of all materials, labours and T&P etc.for proper completion of the work.	2.98	Cum.	7381.60	21997.17
10	Centering and shuttering including strutting, propping etc. and removal of form for slab/platform etc complete	88.00	Sqm	732.48	64458.24
11	P/L RCC work in slabs,platform 1:1.5:3 cement, coarse sand and stone aggregate.	4.40	Sqm	9088.81	39990.76
12	Mild steel work for reinforcement in plain cement concrete including binding,bending and cutting complete.	518.10	Kg.	85.20	44142.12
13	P/L 12mm cement plaster in 1:4 on ceiling with cement and coarse sand including supply of all material labour and T&p etc. for proper completion of the work.	60.92	Sqm	282.29	17197.11
14	P/L 12mm cement plaster in 1:6 on wall with cement and coarse sand including supply of all material labour and T&p etc. for proper completion of the work.	107.68	Sqm	271.47	29231.89
15	P/F of Hepco red HCI pipe with socket including fitting 100mm dia.	12.40	Rmt	1124.18	13939.83
16	P/F C.I Collar socket 100mm dia. Of approved quality complete.	6.00	Nos.	405.36	2432.16
17	P/F C.I plain bend 100mm dia.	8.00	Nos.	450.31	3602.48
18	P/F C.I P-trap 100mm dia. Of approved quality complete.	5.00	Nos.	1133.00	5665.00
19	P/F CPVC pipes 32mm dia., having thermal stability or hot & cold water supply, including all CPVC plain and brass threaded fittings, l/c fixing the pipe with clamps at 1m spacing. This includes jointing of pipes and fitting with one step CPVC solvent cement and the cost of trenching and refilling including testing of joints complete as per direction of E/I complete.	140.00	Rmt	424.68	59455.20
20	P/F CPVC pipes 25mm dia., having thermal stability or hot & cold water supply,	49.08	Rmt	495.50	24319.14

Sanku K...



किंग जार्ज चिकित्सा विश्वविद्यालय उ०प्र०, लखनऊ- 226003

निर्माण विभाग (सिविल सेक्शन)

फोन (कुलसचिव कार्यालय) : 0522-2253171 ई-मेल : eng.civil@kgmcindia.edu

पत्रांक:..... /

दिनांक:..... /

	clamps at 1m spacing. This includes jointing of pipes and fitting with one step CPVC solvent cement and the cost of trenching and refilling including testing of joints complete as per direction of E/I complete.				
21	P/F CPVC pipes 20mm dia., having thermal stability or hot & cold water supply, including all CPVC plain and brass threaded fittings, l/c fixing the pipe with clamps at 1m spacing. This includes jointing of pipes and fitting with one step CPVC solvent cement and the cost of trenching and refilling including testing of joints complete as per direction of E/I complete.	413.40	Rmt	424.68	175562.71
22	P/L wall tiles 200x300mm with water absorption less than 0.08% and conforming to IS: 15622 of approved make in all colours and sheds, laid on 12mm thick cement mortar in 1:3 cement coarse sand including grouting of joints with white cement and matching pigment.	269.40	Sqm.	852.00	229528.80
23	P/L ceramic floor tiles in size 300x300mm with water absorption less than 0.08% and conforming to IS: 15622 of approved make in all colours and sheds, laid on 20mm thick cement mortar in 1:4 cement coarse sand including grouting of joints with white cement and matching pigment etc. complete.	42.03	Sqm.	866.22	36407.23
24	P/L vitrified floor tiles in 600x600mm (thickness to be specified by the manufacture) with water absorption less than 0.08% and conforming to IS: 15622 of approved make in all colours and shades, laid on 20mm thick cement mortar in 1:4 cement coarse sand including grouting of joints with white cement and matching pigment etc. complete.	517.20	Sqm	1227.15	634681.98
25	Providing and laying Vitrified tiles in floor of size 600X600mm with, with water absorption less than 0.08% and conforming to IS:15622, of approved brand & manufacturer, in all colours and shade, laid with cement based high polymer modified quick set tile adhesive (water based) conforming to IS : 15477, in average 6 mm thickness, including grouting of joints.	129.30	Sqm	1362.94	176228.14
26	P/L 18mm thick granite in required design and pattern with 1:4 cement coarse sand including all labour material etc. complete.	88.00	Sqm	4057.44	357054.72
27	Providing edge moulding to 18 mm thick marble stone counters, Vanities etc., including machine polishing to edge to give high gloss finish etc. complete.	176.00	Rmt.	403.63	71038.88
28	Providing and laying white cement based putty of average thickness 1mm of approved brand on new plastered surface to prepare the surface even and smooth complete.	168.60	Sqm	123.27	20783.32
29	Providing and laying cement based white putty of average thickness 0.60mm of approved brand and manufacture, over the old painted wall surface to prepare the surface even and smooth complete.	893.91	Sqm	53.00	47377.23
30	Distempering with oil bound distemper two coat of approved brand on old Surface to give an even shade including all material, labour T&P etc. complete.	2416.84	Sqm.	85.57	206809.00
31	Painting two coats with Superior synthetic enamel paint in old Surface including supply of labour material t&p etc. complete.	1023.05	Sqm	81.21	83081.89
32	Providing and fixing panelled or panelled and glazed shutters for doors, windows and clerestory windows, fixing with butt hinges of required size with necessary screws, excluding panelling which will be paid for separately, all complete as per direction of Engineer-in-charge.	7.73	Sqm	2960.18	22882.19
33	P/F wooden moulded beading to door and windows frame with iron screws, plugs and priming coat with 2nd class teak wood complete.	569.92	Rmt.	214.67	122344.73
34	Providing and fixing mirror Rectangular shape 453x357 mm of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing	80.00	Nos.	1075.75	86060.00
35	Providing salwood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast or with dash fasteners of required dia & length.	0.04	Cum.	112923.58	4516.94
36	Providing and fixing ISI marked flush door shutters conforming to IS : 2202 (Part I) non decorative type, core of block board construction with frame of 1st class hard wood and well matched teak 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters.35 mm thick including ISI marked Stainless Steel butt hinges with necessary screws.	6.00	Sqm	1890.07	11340.42
37	Providing and fixing factory made single extruded WPC (Wood Polymer Composite) flush door shutter 25mm thick one side white color and other side of board laminated with PVC foil of minimum 14 micron thickness of approved design pasted with hot melt adhesive of required size with single extruded WPC (Wood Polymer Composite) solid door/ window/ Clerestory windows & other Frames/ Chowkhat of size 45X70mm comprising of virgin PVC polymer, including s.s. hinges 100mm long, aluminium handles, aluminium sliding door bolt, aluminium tower bolt, and filling the gap with silicon sealant all complete as per direction of E/I.	7.50	Sqm	6535.47	49016.03
38	P/F fly proof S.S. wire gauge with 0.5mm dia wire and 1.4mm wide aperture with matching wood beading.	48.83	Sqm	1422.27	69449.44

Santhi K...



किंग जार्ज चिकित्सा विश्वविद्यालय उ०प्र०, लखनऊ- 226003

निर्माण विभाग (सिविल सेक्शन)

फोन (कुलसचिव कार्यालय) : 0522-2253171 ई-मेल : eng.civil@kgmcindia.edu

पत्रांक:..... /

दिनांक:..... / .. / ..

39	S/F 5mm thick float glass panes in windows with wooden beading.	23.18	Sqm	1226.59	28432.36
40	Taking out existing wooden door shutter, repair by cutting, painting etc. and refixing of repaired door shutters to existing door frames, including replacement of hinges with screws, etc. as required, all complete as per the direction of the Engineer-in-charge.	126.00	Nos.	338.97	42710.22
41	P/F of C.P. extension piece 15mmX50mm of approved make and quality complete.	225.00	Nos.	59.09	13295.25
42	Providing and fixing White Vitreous China Wash basin size 630x450 mm with a pair of 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require.	4.00	Nos.	2092.46	8369.84
43	P/F 600x450mm beveled edge mirror of superior glass complete with 6mm thick hard board fixed to wooden cleats with C.P. brass screws and washers complete.	13.00	Nos.	1270.21	16512.73
44	S/F PVC bib cock 15mm dia prayag make or equivalent.	13.00	Nos.	155.42	2020.46
45	S/F PVC pillar cock 15mm dia prayag make or equivalent.	23.00	Nos.	177.03	4071.69
46	S/F of PTMT angle valve 15mm dia make prayag or equivalent.	24.00	Nos.	93.61	2246.64
47	S/F of PTMT soap dish for Appd. Quality complete.	27.00	Nos.	88.04	2377.08
48	Providing and fixing PTMT towel rail 600mm long complete with brackets fixed to wooden cleats with CP brass screws with concealed fittings arrangement of approved quality and colour.	24.00	Nos.	560.04	13440.96
49	Providing and fixing PTMT grating Circular type 100mm dia. of approved quality and colour.	19.00	Nos.	29.70	564.30
50	S/F PVC waste pipe 32mm dia 600m long.	24.00	Nos.	94.44	2266.56
51	S/F PVC connection 600mm long Prayag make.	28.00	Nos.	96.30	2696.40
52	S/F of white glazed Orissa Pan 580 mm dia complete.	7.00	Nos.	2503.40	17523.80
53	White glazed earthen ware (European type) W.C pan 505mm dia with seat cover of jaguar ESSCO, cera, hindware.	3.00	Nos.	2199.98	6599.94
54	S/F 10 Lit PVC low down cistern for appd. Quality in completed.	8.00	Nos.	940.56	7524.48
55	P/F powder coated aluminium work for doors, windows and ventilators with extruded built up standard tabular sections/ appropriate Z section and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/neoprene gasket etc	108.96	Kg.	508.30	55384.37
56	P/F float glass panes of 5mm thick in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber /neoprene gasket etc. complete as per directions of E/I.	10.00	Sqm.	1189.07	11890.70
57	S/F anodised aluminium grill with mosquito wire gauge.	11.88	Sqm.	1965.00	23344.20
58	P/F of S.S hinges 100mm long with stainless steel screws etc. complete.	196.00	Nos.	84.01	16465.96
59	P/F aluminium handle 100mm long of approved quality complete.	35.00	Nos.	86.34	3021.90
60	P/F Aluminium tower bolt with 10mm dia and 250mm long.	39.00	Nos.	90.96	3547.44
61	Water proofing treatment for joints of C.I/PVC pipe with resin based water proofing chemical including fiber glass matt and fine powder width of chemical coating on joint not less than 250mm on any dia of pipe. Applying chemical coating on joint in three layers up to 3to 4mm thick and also including filling of gap between collar and pipe with resin based putty including fiber glass matt.	16.00	Nos.	1065.00	17040.00
62	Water proofing treatment for N Trap of C.I/PVC pipe with resin based water proofing chemical including fiber glass matt and fine powder. Applying chemical coating around trap in three layers up to 3to 4mm and 150mm long. Filling of chemical around trap in cutting area of floor should be 50mm thick and also including removing of existing cp jali from trap and refixing complete.	5.00	Nos.	1120.00	5600.00
63	Water proofing treatment for P Trap of C.I/PVC pipe with resin based water proofing chemical including fiber glass matt and fine powder. Applying chemical coating around trap in three layers up to 3to 4mm and 150mm long. Filling of chemical around trap in cutting area of floor should be 50mm thick and also including removing and refixing of existing pan.	3.00	Nos.	1200.00	3600.00
64	Laying old cement concrete interlocking paver blocks of any design/ shape laid in required line, level, curvature, colour and pattern over and including 50 mm thick compacted bed of coarse sand, filling the joints with fine sand etc. all complete as per the direction of E/I.	16.34	Sqm	318.31	5201.19
65	S/F of PVC pipe with 6kg pressure 100mm dia. complete	21.78	Rmt	650.00	14157.00
66	P/F PVC N-trap 100mm dia. Of approved quality complete.	3.00	Nos.	425.00	1275.00
67	Providing Sweeper for cleaning of sewer with tools including disposal of garbage as per direction of site incharge.	8.00	Nos.	525.00	4200.00
68	Providing Carpenter with helper for repairing of old door/window.	10.00	Nos.	870.00	8700.00

Surabhi Kulkarni



किंग जार्ज चिकित्सा विश्वविद्यालय उ०प्र०, लखनऊ- 226003

निर्माण विभाग (सिविल सेक्शन)

फोन (कुलसचिव कार्यालय) : 0522-2253171 ई-मेल : eng.civil@kgmcindia.edu

पत्रांक:...../

दिनांक:...../...../.....

69	Providing labour for cleaning of site and collecting malwa.	20.00	Nos.	325.00	6500.00
70	Cartage for disposal of malwa up to 10km away from site.	21.60	Cum	257.20	5555.52
	Total				3229739.41
	Less Discount @ 2.23% as per ARC agreement			(-)	72023.19
	Grand Total				3157716.22
	Say				3157716.00
In Words : Thirty One Lac Fifty Seven Thousand Seven Hundred Sixteen + GST and Labour Cess Extra					

नियम एवं शर्तें

- 1- कार्यदेश प्राप्त होने से साढ़े तीन माह के अन्दर कार्य पूर्ण करना होगा।
- 2- समस्त कार्य उ०प्र० लोक निर्माण विभाग की विशिष्टियों/मानकों के अनुसार कराये जायेंगे।
- 3- कार्यों में ली गयी मात्राएं अनुमानित हैं, जो घट या बढ़ सकती है। कार्यहित में मदों (Item) में परिवर्तन भी हो सकता है।
- 4- जी०एस०टी० एवं अन्य टैक्स नियमानुसार प्रभावी होंगे।

भवदीय,

कमांक

दिनांक

प्रतिलिपि निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित:

1. वित्त अधिकारी, किंग जार्ज चिकित्सा विश्वविद्यालय, उ०प्र०, लखनऊ।
2. प्रो० माला कुमार, विभागाध्यक्ष, बाल विभाग, किंग जार्ज चिकित्सा विश्वविद्यालय, उ०प्र०, लखनऊ।
3. श्री तारा चन्द्र यादव, सहायक अभियन्ता, निर्माण विभाग, किंग जार्ज चिकित्सा विश्वविद्यालय, उ०प्र०, लखनऊ।
4. श्री पोषित राय, अवर अभियन्ता, निर्माण विभाग, किंग जार्ज चिकित्सा विश्वविद्यालय, उ०प्र०, लखनऊ।

Suresh Kumar
(सुरेश कुमार)
अधिशासी अभियन्ता

Divyesh Kumar
(दिनेश कुमार राज)
अधीक्षण अभियन्ता